

1. Abraham, B., and Ledolter, J. (2006), *Introduction to Regression Modeling*, Thomson Brooks/Cole, Belmont, CA.
2. Abuhashan, H., and Olive, D.J. (2008), "Inference for Some Transformed Distributions," Preprint.
3. Adcock, C., and Meade, N. (1997), "A Comparison of Two LP Solvers and a New IRLS Algorithm for L_1 Estimation," in *L_1 -Statistical Procedures and Related Topics*, ed. Dodge, Y., Institute of Mathematical Statistics, Hayward, CA, 119-132.
4. Adell, J.A., and Jodrá, P. (2005), "Sharp Estimates for the Median of the $\Gamma(n + 1, 1)$ Distribution, *Statistics and Probability Letters*, 71, 185-191.
5. Agresti, A. (2002), *Categorical Data Analysis*, 2nd ed., John Wiley and Sons, Hoboken, NJ.
6. Agulló, J. (1997), "Exact Algorithms to Compute the Least Median of Squares Estimate in Multiple Linear Regression," in *L_1 -Statistical Procedures and Related Topics*, ed. Dodge, Y., Institute of Mathematical Statistics, Hayward, CA, 133-146.
7. Agulló, J. (2001), "New Algorithms for Computing the Least Trimmed Squares Regression Estimator," *Computational Statistics and Data Analysis*, 36, 425-439.
8. Agulló, J., Croux, C. and Van Aelst, S. (2008), "The Multivariate Least-Trimmed Squares Estimator," *Journal of Multivariate Analysis*, 99, 311-338.
9. Albert, A., and Andersen, J.A. (1984), "On the Existence of Maximum Likelihood Estimators in Logistic Models," *Biometrika*, 71, 1-10.
10. Aldrin, M., Bølviken, E., and Schweder, T. (1993), "Projection Pursuit Regression for Moderate Non-linearities," *Computational Statistics and Data Analysis*, 16, 379-403.
11. Alqallaf, F.A. Konis, K.P., Martin, R.D., and Zamar, R.H. (2002), "Scalable Robust Covariance and Correlation Estimates for Data Mining," In *Proceedings of the Seventh ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, ACM, Edmonton.

12. American Society of Civil Engineers (1950), "So You're Going to Present a Paper," *The American Statistician* 4, 6-8.
13. Andersen, R. (2007), *Modern Methods for Robust Regression*, Sage Publications, Thousand Oaks, CA.
14. Anderson-Sprecher, R. (1994), "Model Comparisons and R^2 ," *The American Statistician*, 48, 113-117.
15. Andrews, D.F., Bickel, P.J., Hampel, F.R., Huber, P.J., Rogers, W.H., and Tukey, J.W. (1972), *Robust Estimates of Location*, Princeton University Press, Princeton, NJ.
16. Anscombe, F.J. (1961), "Examination of Residuals," in *Proceedings of the Fourth Berkeley Symposium on Mathematical Statistics and Probability*, ed. J. Neyman, University of California Press, 1-31.
17. Anscombe, F.J., and Tukey, J.W. (1963), "The Examination and Analysis of Residuals," *Technometrics*, 5, 141-160.
18. Ansley, C.F., and Kohn, R. (1994), "Convergence of the Backfitting Algorithm for Additive Models," *Journal of the Australian Mathematical Society, Series A*, 57, 316-329.
19. Appa, G.M., and Land, A.H. (1993), "Comment on 'A Cautionary Note on the Method of Least Median of Squares' by Hettmansperger, T.P. and Sheather, S.J.," *The American Statistician*, 47, 160-162.
20. Arcones, M.A. (1995), "Asymptotic Normality of Multivariate Trimmed Means," *Statistics and Probability Letters*, 25, 43-53.
21. Armitrage, P., and Colton, T. (editors), (1998a-f), *Encyclopedia of Biostatistics*, Vol. 1-6, John Wiley and Sons, NY.
22. Ashworth, H. (1842), "Statistical Illustrations of the Past and Present State of Lancashire," *Journal of the Royal Statistical Society*, A, 5, 245-256.
23. Atkinson, A.C. (1985), *Plots, Transformations, and Regression*, Clarendon Press, Oxford.

24. Atkinson, A.C. (1986), "Diagnostic Tests for Transformations," *Tech-nometrics*, 28, 29-37.
25. Atkinson, A., and Riani, R. (2000), *Robust Diagnostic Regression Analysis*, Springer-Verlag, NY.
26. Atkinson, A., Riani, R., and Cerioli, A. (2004), *Exploring Multivariate Data with the Forward Search*, Springer-Verlag, NY.
27. Atkinson, A.C., and Weisberg, S. (1991), "Simulated Annealing for the Detection of Multiple Outliers Using Least Squares and Least Median of Squares Fitting," in *Directions in Robust Statistics and Diagnostics*, Part 1, eds. Stahel, W., and Weisberg, S., Springer-Verlag, NY, 7-20.
28. Bai, Z.D., and He, X. (1999), "Asymptotic Distributions of the Maximal Depth Estimators for Regression and Multivariate Location," *The Annals of Statistics*, 27, 1616-1637.
29. Barndorff-Nielsen, O. (1982), "Exponential Families," in *Encyclopedia of Statistical Sciences*, Vol. 2, eds. Kotz, S., and Johnson, N.L., John Wiley and Sons, NY, 587-596.
30. Barnett, V., and Lewis, T. (1994), *Outliers in Statistical Data*, 3rd ed., John Wiley and Sons, NY.
31. Barrett, B.E., and Gray, J.B. (1992), "Diagnosing Joint Influence in Regression Analysis," in the *American Statistical 1992 Proceedings of the Computing Section*, 40-45.
32. Barrodale, I., and Roberts, F.D.K. (1974), "Algorithm 478 Solution of an Overdetermined System of Equations in the l_1 Norm [F4]," *Communications of the ACM*, 17, 319-320.
33. Bartlett, M.S. (1947), "The Use of Transformations," *Biometrics*, 3, 39-52.
34. Bassett, G.W. (1991), "Equivariant, Monotonic, 50% Breakdown Estimators," *The American Statistician*, 45, 135-137.
35. Bassett, G.W., and Koenker, R.W. (1978), "Asymptotic Theory of Least Absolute Error Regression," *Journal of the American Statistical Association*, 73, 618-622.

36. Becker, R.A., Chambers, J.M., and Wilks, A.R. (1988), *The New S Language A Programming Environment for Data Analysis and Graphics*, Wadsworth and Brooks/Cole, Pacific Grove, CA.
37. Becker, R.A., and Keller-McNulty, S. (1996), "Presentation Myths," *The American Statistician*, 50, 112-115.
38. Beckman, R.J., and Cook, R.D. (1983), "Outlier.....s," *Technometrics*, 25, 119-114.
39. Belsley, D.A., Kuh, E., and Welsch, R.E. (1980), *Regression Diagnostics: Identifying Influential Data and Sources of Collinearity*, John Wiley and Sons, NY.
40. Bentler, P.M., and Yuan, K.H. (1998), "Tests for Linear Trend in the Smallest Eigenvalues of the Correlation Matrix," *Psychometrika*, 63, 131-144.
41. Bernholt, T. (2006), "Robust Estimators are Hard to Compute," technical report available from
(<http://ls2-www.cs.uni-dortmund.de/~bernholt/ps/tr52-05.pdf>).
42. Bernholt, T., and Fischer, P. (2004), "The Complexity of Computing the MCD-Estimator," *Theoretical Computer Science*, 326, 383-398.
43. Bickel, P.J. (1965), "On Some Robust Estimates of Location," *The Annals of Mathematical Statistics*, 36, 847-858.
44. Bickel, P.J. (1975), "One-Step Huber Estimates in the Linear Model," *Journal of the American Statistical Association*, 70, 428-434.
45. Bickel, P.J., and Doksum, K.A. (2007), *Mathematical Statistics: Basic Ideas and Selected Topics*, Vol. 1., 2nd ed., Updated Printing, Pearson Prentice Hall, Upper Saddle River, NJ.
46. Bloch, D.A., and Gastwirth, J.L. (1968), "On a Simple Estimate of the Reciprocal of the Density Function," *The Annals of Mathematical Statistics*, 39, 1083-1085.
47. Bloomfield, P., and Steiger, W. (1980), "Least Absolute Deviations Curve-Fitting," *SIAM Journal of Statistical Computing*, 1, 290-301.

48. Bogdan, M. (1999), "Data Driven Smooth Tests for Bivariate Normality," *Journal of Multivariate Analysis*, 68, 26-53.
49. Bowman, K.O., and Shenton, L.R. (1988), *Properties of Estimators for the Gamma Distribution*, Marcel Dekker, NY.
50. Box, G.E.P. (1979), "Robustness in the Strategy of Scientific Model Building," in *Robustness in Statistics*, eds. Launer, R., and Wilkinson, G., Academic Press, NY, 201-235.
51. Box, G.E.P. (1990), "Commentary on 'Communications between Statisticians and Engineers/Physical Scientists' by H.B. Hoadley and J.R. Kettenring," *Technometrics*, 32, 251-252.
52. Box, G.E.P., and Cox, D.R. (1964), "An Analysis of Transformations," *Journal of the Royal Statistical Society, B*, 26, 211-246.
53. Branco, J.A., Croux, C., Filzmoser, P., and Oliviera, M.R. (2005), "Robust Canonical Correlations: a Comparative Study," *Computational Statistics*, 20, 203-229.
54. Braun, W.J., and Murdoch, D.J. (2007), *A First Course in Statistical Programming with R*, Cambridge University Press, NY.
55. Breslow, N. (1990), "Tests of Hypotheses in Overdispersed Poisson Regression and Other Quasi-likelihood Models," *Journal of the American Statistical Association*, 85, 565-571.
56. Brillinger, D.R. (1977), "The Identification of a Particular Nonlinear Time Series," *Biometrika*, 64, 509-515.
57. Brillinger, D.R. (1983), "A Generalized Linear Model with "Gaussian" Regressor Variables," in *A Festschrift for Erich L. Lehmann*, eds. Bickel, P.J., Doksum, K.A., and Hodges, J.L., Wadsworth, Pacific Grove, CA, 97-114.
58. Brillinger, D.R. (1991), "Comment on 'Sliced Inverse Regression for Dimension Reduction' by K.C. Li," *Journal of the American Statistical Association*, 86, 333.
59. Brockwell, P.J., and Davis, R.A. (1991), *Time Series: Theory and Methods*, Springer-Verlag, NY.

60. Broffitt, J.D. (1974), "An Example of the Large Sample Behavior of the Midrange," *The American Statistician*, 28, 69-70.
61. Buja, A., Hastie, T., and Tibshirani, R. (1989), "Linear Smoothers and Additive Models," *The Annals of Statistics*, 17, 453-555.
62. Bura, E., and Cook, R.D. (2001), "Estimating the Structural Dimension of Regressions Via Parametric Inverse Regression," *Journal of the Royal Statistical Society, B*, 63, 393-410.
63. Burman, P., and Nolan D. (1995), "A General Akaike-Type Criterion for Model Selection in Robust Regression," *Biometrika*, 82, 877-886.
64. Burnham, K.P., and Anderson, D.R. (2004), "Multimodel Inference Understanding AIC and BIC in Model Selection," *Sociological Methods & Research*, 33, 261-304.
65. Butler, R.W. (1982), "Nonparametric Interval and Point Prediction Using Data Trimming by a Grubbs-Type Outlier Rule," *The Annals of Statistics*, 10, 197-204.
66. Butler, R.W., Davies, P.L., and Jhun, M. (1993), "Asymptotics for the Minimum Covariance Determinant Estimator," *The Annals of Statistics*, 21, 1385-1400.
67. Buxton, L.H.D. (1920), "The Anthropology of Cyprus," *The Journal of the Royal Anthropological Institute of Great Britain and Ireland*, 50, 183-235.
68. Cai, T., Tian, L., Solomon, S.D., and Wei, L.J. (2008), "Predicting Future Responses Based on Possibly Misspecified Working Models," *Biometrika*, 95, 75-92.
69. Cambanis, S., Huang, S., and Simons, G. (1981), "On the Theory of Elliptically Contoured Distributions," *Journal of Multivariate Analysis*, 11, 368-385.
70. Cameron, A.C., and Trivedi, P.K. (1998), *Regression Analysis of Count Data*, Cambridge University Press, Cambridge, UK.

71. Cantoni, E., and Ronchetti, E. (2001), "Robust Inference For Generalized Linear Models," *Journal of the American Statistical Association*, 96, 1022-1030.
72. Carroll, R.J., and Welsh, A.H. (1988), "A Note on Asymmetry and Robustness in Linear Regression," *The American Statistician*, 42, 285-287.
73. Casella, G., and Berger, R.L. (2002), *Statistical Inference*, 2nd ed., Duxbury, Belmont, CA.
74. Castillo, E. (1988), *Extreme Value Theory in Engineering*, Academic Press, Boston.
75. Cattell, R.B. (1966), "The Scree Test for the Number of Factors," *Multivariate Behavioral Research*, 1, 245-276.
76. Cavanagh, C., and Sherman, R.P. (1998), "Rank Estimators for Monotonic Index Models," *Journal of Econometrics*, 84, 351-381.
77. Chambers, J.M. (1998), *Programming with Data: a Guide to the S Language*, Springer-Verlag, NY.
78. Chambers, J.M., Cleveland, W.S., Kleiner, B., and Tukey, P. (1983), *Graphical Methods for Data Analysis*, Duxbury Press, Boston.
79. Chang, J. (2006), *Resistant Dimension Reduction*, Ph.D. Thesis, Southern Illinois University, online at (www.math.siu.edu/olive/sjingt.pdf).
80. Chang, J., and Olive, D.J. (2007), *Resistant Dimension Reduction*, Preprint, see (www.math.siu.edu/olive/preprints.htm).
81. Chang, J., and Olive, D.J. (2008), *OLS for Single Index and 1D Regression Models*, Preprint, see (www.math.siu.edu/olive/ppsindx.pdf).
82. Chatterjee, S., and Hadi, A.S. (1988), *Sensitivity Analysis in Linear Regression*, John Wiley and Sons, NY.
83. Chen, C.H., and Li, K.C. (1998), "Can SIR be as Popular as Multiple Linear Regression?," *Statistica Sinica*, 8, 289-316.

84. Chen, J., and Rubin, H. (1986), "Bounds for the Difference Between Median and Mean of Gamma and Poisson Distributions," *Statistics and Probability Letters*, 4, 281-283.
85. Chen, Z. (1998), "A Note on Bias Robustness of the Median," *Statistics and Probability Letters*, 38, 363-368.
86. Cheng, K.F., and Wu, J.W. (1994), "Testing Goodness of Fit for a Parametric Family of Link Functions," *Journal of the American Statistical Association*, 89, 657-664.
87. Chmielewski, M.A. (1981), "Elliptically Symmetric Distributions: a Review and Bibliography," *International Statistical Review*, 49, 67-74.
88. Christensen, R. (1997), *Log-Linear Models and Logistic Regression*, 2nd ed., Springer-Verlag, NY.
89. Christmann, A. (1994), "Least Median of Weighted Squares in Logistic Regression with Large Strata," *Biometrika*, 81, 413-417.
90. Christmann, A., and Rousseeuw, P.J. (2001), "Measuring Overlap in Binary Regression," *Computational Statistics and Data Analysis*, 37, 65-75.
91. Čížek, P. (2004) "Asymptotics of Least Trimmed Squares Regression," Preprint.
92. Čížek, P. (2006), "Least Trimmed Squares Under Dependence," *Journal of Statistical Planning and Inference*, 136, 3967-3988.
93. Čížek, P., and Härdle, W. (2006), "Robust Estimation of Dimension Reduction Space," *Computational Statistics and Data Analysis*, 51, 545-555.
94. Claeskens, G., and Hjort, N.L. (2003), "The Focused Information Criterion," (with discussion), *Journal of the American Statistical Association*, 98, 900-916.
95. Clarke, B.R. (1986), "Asymptotic Theory for Description of Regions in Which Newton-Raphson Iterations Converge to Location M-Estimators," *Journal of Statistical Planning and Inference*, 15, 71-85.

96. Cohen, A.C., and Whitten, B.J. (1988), *Parameter Estimation in Reliability and Life Span Models*, Marcel Dekker, NY.
97. Collett, D. (1999), *Modelling Binary Data*, Chapman & Hall/CRC, Boca Raton, FL.
98. Cook, R.D. (1977), "Deletion of Influential Observations in Linear Regression," *Technometrics*, 19, 15-18.
99. Cook, R.D. (1986), "Assessment of Local Influence," *Journal of the Royal Statistical Society, B*, 48, 133-169.
100. Cook, R.D. (1993), "Exploring Partial Residual Plots," *Technometrics*, 35, 351-362.
101. Cook, R.D. (1996), "Graphics for Regressions with Binary Response," *Journal of the American Statistical Association*, 91, 983-992.
102. Cook, R.D. (1998a), *Regression Graphics: Ideas for Studying Regression Through Graphics*, John Wiley and Sons, NY.
103. Cook, R.D. (1998b), "Principal Hessian Directions Revisited," *Journal of the American Statistical Association*, 93, 84-100.
104. Cook, R.D. (2000), "SAVE: A Method for Dimension Reduction and Graphics in Regression," *Communications in Statistics Theory and Methods*, 29, 2109-2121.
105. Cook, R.D. (2003), "Dimension Reduction and Graphical Exploration in Regression Including Survival Analysis," *Statistics in Medicine*, 2, 1399-1413.
106. Cook, R.D. (2004), "Testing Predictor Contributions in Sufficient Dimension Reduction," *The Annals of Statistics*, 32, 1062-1092.
107. Cook, R.D., and Critchley, F. (2000), "Identifying Outliers and Regression Mixtures Graphically," *Journal of the American Statistical Association*, 95, 781-794.
108. Cook, R.D., and Croos-Dabrera, R. (1998), "Partial Residual Plots in Generalized Linear Models," *Journal of the American Statistical Association*, 93, 730-739.

109. Cook, R.D., and Hawkins, D.M. (1990), "Comment on 'Unmasking Multivariate Outliers and Leverage Points' by P.J. Rousseeuw and B.C. van Zomeren," *Journal of the American Statistical Association*, 85, 640-644.
110. Cook, R.D., Hawkins, D.M., and Weisberg, S. (1992), "Comparison of Model Misspecification Diagnostics Using Residuals from Least Mean of Squares and Least Median of Squares," *Journal of the American Statistical Association*, 87, 419-424.
111. Cook, R.D., Hawkins, D.M., and Weisberg, S. (1993), "Exact Iterative Computation of the Robust Multivariate Minimum Volume Ellipsoid Estimator," *Statistics and Probability Letters*, 16, 213-218.
112. Cook, R.D., and Lee, H. (1999), "Dimension Reduction in Binary Response Regression," *Journal of the American Statistical Association*, 94, 1187-1200.
113. Cook, R.D., and Li, B. (2002), "Dimension Reduction for Conditional Mean in Regression," *The Annals of Statistics*, 30, 455-474.
114. Cook, R.D., and Li, B. (2004), "Determining the Dimension of Iterative Hessian Transformation," *The Annals of Statistics*, 32, 2501-2531.
115. Cook, R.D., and Nachtsheim, C.J. (1994), "Reweighting to Achieve Elliptically Contoured Covariates in Regression," *Journal of the American Statistical Association*, 89, 592-599.
116. Cook, R.D., and Ni, L. (2005), "Sufficient Dimension Reduction Via Inverse Regression: a Minimum Discrepancy Approach," *Journal of the American Statistical Association*, 100, 410-428.
117. Cook, R.D., and Olive, D.J. (2001), "A Note on Visualizing Response Transformations in Regression," *Technometrics*, 43, 443-449.
118. Cook, R.D., and Wang, P.C. (1983), "Transformations and Influential Cases in Regression," *Technometrics*, 25, 337-343.
119. Cook, R.D., and Weisberg, S. (1982), *Residuals and Influence in Regression*, Chapman & Hall, London.

120. Cook, R.D., and Weisberg, S. (1991), "Comment on 'Sliced Inverse Regression for Dimension Reduction' by K.C. Li," *Journal of the American Statistical Association*, 86, 328-332.
121. Cook, R.D., and Weisberg, S. (1994), "Transforming a Response Variable for Linearity," *Biometrika*, 81, 731-737.
122. Cook, R.D., and Weisberg, S. (1997), "Graphics for Assessing the Adequacy of Regression Models," *Journal of the American Statistical Association*, 92, 490-499.
123. Cook, R.D., and Weisberg, S. (1999a), *Applied Regression Including Computing and Graphics*, John Wiley and Sons, NY.
124. Cook, R.D., and Weisberg, S. (1999b), "Graphs in Statistical Analysis: is the Medium the Message?" *The American Statistician*, 53, 29-37.
125. Cooke, D., Craven, A.H., and Clarke, G.M. (1982), *Basic Statistical Computing*, Edward Arnold Publishers, London.
126. Cox, D.R., and Snell, E. J. (1968), "A General Definition of Residuals," *Journal of the Royal Statistical Society, B*, 30, 248-275.
127. Cox, D.R. (1972), "Regression Models and Life-Tables," *Journal of the Royal Statistical Society, B*, 34, 187-220.
128. Cramér, H. (1946), *Mathematical Methods of Statistics*, Princeton University Press, Princeton, NJ.
129. Cramer, J.S. (2003), *Logit Models from Economics and Other Fields*, Cambridge University Press, Cambridge, UK.
130. Crawley, M.J. (2005), *Statistics an Introduction Using R*, John Wiley and Sons, Hoboken, NJ.
131. Croux, C., Dehon, C., Rousseeuw, P.J., and Van Aelst, S. (2001), "Robust Estimation of the Conditional Median Function at Elliptical Models," *Statistics and Probability Letters*, 51, 361-368.
132. Croux C, Filzmoser P, and Oliveira M.R. (2007), "Algorithms for Projection-Pursuit Robust Principal Component Analysis," *Chemometrics and Intelligent Laboratory Systems*, 87, 218-225.

133. Croux, C., and Haesbroeck, G. (2003), "Implementing the Bianco and Yohai Estimator for Logistic Regression," *Computational Statistics and Data Analysis*, 44, 273-295.
134. Croux, C., Rousseeuw, P.J., and Hössjer, O. (1994), "Generalized S-Estimators," *Journal of the American Statistical Association*, 89, 1271-1281.
135. Croux, C., and Van Aelst, S. (2002), "Comment on 'Nearest-Neighbor Variance Estimation (NNVE): Robust Covariance Estimation via Nearest-Neighbor Cleaning' by N. Wang and A.E. Raftery," *Journal of the American Statistical Association*, 97, 1006-1009.
136. Czörgö, S. (1986), "Testing for Normality in Arbitrary Dimension," *The Annals of Statistics*, 14, 708-723.
137. Dahiya, R.C., Staneski, P.G. and Chaganty, N.R. (2001), "Maximum Likelihood Estimation of Parameters of the Truncated Cauchy Distribution," *Communications in Statistics: Theory and Methods*, 30, 1737-1750.
138. Daniel, C., and Wood, F.S. (1980), *Fitting Equations to Data*, 2nd ed., John Wiley and Sons, NY.
139. Datta, B.N. (1995), *Numerical Linear Algebra and Applications*, Brooks/Cole Publishing Company, Pacific Grove, CA.
140. David, H.A. (1981), *Order Statistics*, 2nd ed., John Wiley and Sons, NY.
141. David, H.A. (1995), "First (?) Occurrences of Common Terms in Mathematical Statistics," *The American Statistician*, 49, 121-133.
142. David, H.A. (1998), "Early Sample Measures of Variability," *Statistical Science*, 13, 368-377.
143. Davies, P.L. (1990), "The Asymptotics of S-Estimators in the Linear Regression Model," *The Annals of Statistics*, 18, 1651-1675.
144. Davies, P.L. (1992), "Asymptotics of Rousseeuw's Minimum Volume Ellipsoid Estimator," *The Annals of Statistics*, 20, 1828-1843.

145. Davies, P.L. (1993), "Aspects of Robust Linear Regression," *The Annals of Statistics*, 21, 1843-1899.
146. Dean, C. B. (1992), "Testing for Overdispersion in Poisson and Binomial Regression Models," *Journal of the American Statistical Association*, 87, 441-457.
147. deCani, J.S., and Stine, R.A. (1986), "A Note on Deriving the Information Matrix for a Logistic Distribution," *The American Statistician*, 40, 220-222.
148. DeGroot, M.H., and Schervish, M.J. (2001), *Probability and Statistics*, 3rd ed., Addison-Wesley Publishing Company, Reading, MA.
149. Delecroix, M., Härdle, W., and Hristache, M. (2003), "Efficient Estimation in Conditional Single-Index Regression," *Journal of Multivariate Analysis*, 86, 213-226.
150. Dell'Aquila, R. (2006), *Robust Statistics with Economic and Financial Applications*, John Wiley and Sons, Hoboken, NJ.
151. Devlin, S.J., Gnanadesikan, R., and Kettenring, J.R. (1975), "Robust Estimation and Outlier Detection with Correlation Coefficients," *Biometrika*, 62, 531-545.
152. Devlin, S.J., Gnanadesikan, R., and Kettenring, J.R. (1981), "Robust Estimation of Dispersion Matrices and Principal Components," *Journal of the American Statistical Association*, 76, 354-362.
153. Di Bucchianico, A., Einmahl, J.H.J., and Mushkudiani, N.A. (2001), "Smallest Nonparametric Tolerance Regions," *The Annals of Statistics*, 29, 1320-1343.
154. Dixon, W.J., and Tukey, J.W. (1968), "Approximate Behavior of Winsorized t (trimming/Winsorization 2)," *Technometrics*, 10, 83-98.
155. Dobson, A.J., and Barnett, A. (2008), *An Introduction to Generalized Linear Models*, 3rd ed., Chapman & Hall, London.
156. Dodge, Y. (editor) (1987), *Statistical Data Analysis Based on the L_1 -norm and Related Methods*, North-Holland, Amsterdam.

157. Dodge, Y. (editor) (1997), *L₁-Statistical Procedures and Related Topics*, Institute of Mathematical Statistics, Hayward, CA.
158. Dodge, Y. and Jureckova, J. (2000), *Adaptive Regression*, Springer-Verlag, NY.
159. Dollinger, M.B., and Staudte, R.G. (1991), "Influence Functions of Iteratively Reweighted Least Squares Estimators," *Journal of the American Statistical Association*, 86, 709-716.
160. Dongarra, J.J., Moler, C.B., Bunch, J.R., and Stewart, G.W. (1979), *Linpack's Users Guide*, SIAM, Philadelphia, PA.
161. Donoho, D.L., and Huber, P.J. (1983), "The Notion of Breakdown Point," in *A Festschrift for Erich L. Lehmann*, eds. Bickel, P.J., Doksum, K.A., and Hodges, J.L., Wadsworth, Pacific Grove, CA, 157-184.
162. Draper, N.R. (2000), "Applied Regression Analysis Bibliography Update 1998-99," *Communications in Statistics Theory and Methods*, 2313-2341.
163. Draper, N.R., and Smith, H. (1981), *Applied Regression Analysis*, 2nd ed., John Wiley and Sons, NY.
164. Duda, R.O., Hart, P.E., and Stork, D.G. (2000), *Pattern Classification*, 2nd ed., John Wiley and Sons, NY.
165. Eaton, M.L. (1986), "A Characterization of Spherical Distributions," *Journal of Multivariate Analysis*, 20, 272-276.
166. Easton, G.S., and McCulloch, R.E. (1990), "A Multivariate Generalization of Quantile Quantile Plots," *Journal of the American Statistical Association*, 85, 376-386.
167. Efron, B., Hastie, T., Johnstone, I. and Tibshirani, R. (2004), "Least Angle Regression," (with discussion), *The Annals of Statistics*, 32, 407-451.
168. Ehrenberg, A.S.C. (1982), "Writing Technical Papers or Reports," *The American Statistician*, 36, 326-329

169. Eno, D.R., and Terrell, G.R. (1999), "Scatterplots for Logistic Regression," *Journal of Computational and Graphical Statistics*, 8, 413-430.
170. Fahrmeir, L. and Tutz, G. (2001), *Multivariate Statistical Modelling based on Generalized Linear Models*, 2nd ed., Springer-Verlag, NY.
171. Falk, M. (1997), "Asymptotic Independence of Median and MAD," *Statistics and Probability Letters*, 34, 341-345.
172. Fan, J., and Li, R. (2001), "Variable Selection via Nonconcave Penalized Likelihood and its Oracle Properties," *Journal of the American Statistical Association*, 96, 1348-1360.
173. Fan, J., and Li, R. (2002), "Variable Selection for Cox's Proportional Hazard Model and Frailty Model," *The Annals of Statistics*, 30, 74-99.
174. Fang, K.T., and Anderson, T.W. (editors) (1990), *Statistical Inference in Elliptically Contoured and Related Distributions*, Allerton Press, NY.
175. Fang, K.T., Kotz, S., and Ng, K.W. (1990), *Symmetric Multivariate and Related Distributions*, Chapman & Hall, NY.
176. Farebrother, R.W. (1997), "Notes on the Early History of Elemental Set Methods," in *L₁-Statistical Procedures and Related Topics*, ed. Dodge, Y., Institute of Mathematical Statistics, Hayward, CA, 161-170.
177. Feller, W. (1957), *An Introduction to Probability Theory and Its Applications*, Vol. 1, 2nd ed., John Wiley and Sons, NY.
178. Ferguson, T.S. (1967), *Mathematical Statistics: A Decision Theoretic Approach*, Academic Press, NY.
179. Field, C. (1985), "Concepts of Robustness," in *A Celebration of Statistics*, eds. Atkinson, A.C., and Feinberg, S.E., Springer-Verlag, NY, 369-375.
180. Fowlkes, E.B. (1969), "User's Manual for a System for Interactive Probability Plotting on Graphic-2," Technical Memorandum, AT&T Bell Laboratories, Murray Hill, NJ.
181. Fox, J. (1991), *Regression Diagnostics*, Sage, Newbury Park, CA.

182. Fox, J. (2002), *An R and S-PLUS Companion to Applied Regression*, Sage Publications, Thousand Oaks, CA.
183. Freedman, D.A., and Diaconis, P. (1982), "On Inconsistent M Estimators," *The Annals of Statistics*, 10, 454-461.
184. Freeman,, D.H., Gonzalez, M.E., Hoaglin, D.C., and Kilss, B.A. (1983), "Presenting Statistical Papers," *The American Statistician*, 37, 106-110.
185. Friedman, J.H., and Stuetzle, W. (1981), "Projection Pursuit Regression," *Journal of the American Statistical Association*, 76, 817-823.
186. Fung, W.K., He, X., Liu, L., and Shi, P.D. (2002), "Dimension Reduction Based on Canonical Correlation," *Statistica Sinica*, 12, 1093-1114.
187. Furnival, G., and Wilson, R. (1974), "Regression by Leaps and Bounds," *Technometrics*, 16, 499-511.
188. Ganio, L. M., and Schafer, D. W. (1992), "Diagnostics for Overdispersion," *Journal of the American Statistical Association*, 87, 795-804.
189. García-Escudero, L.A., and Gordaliza, A. (2005), "Generalized Radius Processes for Elliptically Contoured Distributions," *Journal of the American Statistical Association*, 100, 1036-1045.
190. Gather, U., Hilker, T., and Becker, C. (2001), "A Robustified Version of Sliced Inverse Regression," in *Statistics in Genetics and in the Environmental Sciences*, eds. Fernholz, T.L., Morgenthaler, S., and Stahel, W., Birkhäuser, Basel, Switzerland, 145-157.
191. Gather, U., Hilker, T., and Becker, C. (2002), "A Note on Outlier Sensitivity of Sliced Inverse Regression," *Statistics*, 36, 271-281.
192. Gentle, J.E. (2002), *Elements of Computational Statistics*, Springer-Verlag, NY.
193. Giummolè, F. and Ventura, L. (2006), "Robust Prediction Limits Based on M-estimators," *Statistics and Probability Letters*, 76, 1725-1740
194. Gladstone, R.J. (1905-1906), "A Study of the Relations of the Brain to the Size of the Head," *Biometrika*, 4, 105-123.

195. Gnanadesikan, R. (1997), *Methods for Statistical Data Analysis of Multivariate Observations*, 2nd ed., John Wiley and Sons, NY.
196. Gnanadesikan, R., and Kettenring, J.R. (1972), "Robust Estimates, Residuals, and Outlier Detection with Multiresponse Data," *Biometrics*, 28, 81-124.
197. Golub, G.H., and Van Loan, C.F. (1989), *Matrix Computations*, 2nd ed., John Hopkins University Press, Baltimore, MD.
198. Gray, J.B. (1985), "Graphics for Regression Diagnostics," in the *American Statistical Association 1985 Proceedings of the Statistical Computing Section*, 102-108.
199. Greenwood, J.A., and Durand, D. (1960), "Aids for Fitting the Gamma Distribution by Maximum Likelihood," *Technometrics*, 2, 55-56.
200. Gross, A.M. (1976), "Confidence Interval Robustness with Long-Tailed Symmetric Distributions," *Journal of the American Statistical Association*, 71, 409-417.
201. Grübel, R. (1988), "The Length of the Shorth," *The Annals of Statistics*, 16, 619-628.
202. Guenther, W.C. (1969), "Shortest Confidence Intervals," *The American Statistician*, 23, 22-25.
203. Gupta, A.K., and Varga, T. (1993), *Elliptically Contoured Models in Statistics*, Kluwar Academic Publishers, Dordrecht, The Netherlands.
204. Hadi, A.S., and Simonoff, J.S. (1993), "Procedures for the Identification of Multiple Outliers in Linear Models," *Journal of the American Statistical Association*, 88, 1264-1272.
205. Haggstrom, G.W. (1983), "Logistic Regression and Discriminant Analysis by Ordinary Least Squares," *Journal of Business & Economic Statistics*, 1, 229-238.
206. Hahn, G.H., Mason, D.M., and Weiner, D.C. (editors) (1991), *Sums, Trimmed Sums, and Extremes*, Birkhäuser, Boston.

207. Hall, P. and Li, K.C. (1993), "On Almost Linearity of Low Dimensional Projections from High Dimensional Data," *The Annals of Statistics*, 21, 867-889.
208. Hall, P., and Welsh, A.H. (1985), "Limit Theorems for the Median Deviation," *Annals of the Institute of Statistical Mathematics*, Part A, 37, 27-36.
209. Hamada, M., and Sitter, R. (2004), "Statistical Research: Some Advice for Beginners," *The American Statistician*, 58, 93-101.
210. Hamilton, L.C. (1992), *Regression with Graphics A Second Course in Applied Statistics*, Wadsworth, Belmont, CA.
211. Hampel, F.R. (1975), "Beyond Location Parameters: Robust Concepts and Methods," *Bulletin of the International Statistical Institute*, 46, 375-382.
212. Hampel, F.R. (1985), "The Breakdown Points of the Mean Combined with Some Rejection Rules," *Technometrics*, 27, 95-107.
213. Hampel, F.R., Ronchetti, E.M., Rousseeuw, P.J., and Stahel, W.A. (1986), *Robust Statistics*, John Wiley and Sons, NY.
214. Hamza, K. (1995), "The Smallest Uniform Upper Bound on the Distance Between the Mean and the Median of the Binomial and Poisson Distributions," *Statistics and Probability Letters*, 23, 21-25.
215. Hardin, J.W., and Hilbe, J.M. (2007), *Generalized Linear Models and Extensions*, 2nd ed., Stata Press, College Station, TX.
216. Härdle, W., Hall, P., and Ichimura, H. (1993), "Optimal Smoothing in Single Index Models," *The Annals of Statistics*, 21, 157-178.
217. Harrison, D. and Rubinfeld, D.L. (1978), "Hedonic Prices and the Demand for Clean Air," *Journal of Environmental Economics and Management*, 5, 81-102.
218. Harter, H.L. (1974a), "The Method of Least Squares and Some Alternatives, Part I," *International Statistical Review*, 42, 147-174.

219. Harter, H.L. (1974b), "The Method of Least Squares and Some Alternatives, Part II," *International Statistical Review*, 42, 235-165.
220. Harter, H.L. (1975a), "The Method of Least Squares and Some Alternatives, Part III," *International Statistical Review*, 43, 1-44.
221. Harter, H.L. (1975b), "The Method of Least Squares and Some Alternatives, Part IV," *International Statistical Review*, 43, 125-190, 273-278.
222. Harter, H.L. (1975c), "The Method of Least Squares and Some Alternatives, Part V," *International Statistical Review*, 43, 269-272.
223. Harter, H.L. (1976), "The Method of Least Squares and Some Alternatives, Part VI," *International Statistical Review*, 44, 113-159.
224. Hastie, T. (1987), "A Closer Look at the Deviance," *The American Statistician*, 41, 16-20.
225. Hastings, N.A.J., and Peacock, J.B. (1975), *Statistical Distributions*, Butterworth, London.
226. Hawkins, D.M. (1980), *Identification of Outliers*, Chapman & Hall, London.
227. Hawkins, D.M. (1993a), "The Accuracy of Elemental Set Approximations for Regression," *Journal of the American Statistical Association*, 88, 580-589.
228. Hawkins, D.M. (1993b), "A Feasible Solution Algorithm for the Minimum Volume Ellipsoid Estimator in Multivariate Data," *Computational Statistics*, 9, 95-107.
229. Hawkins, D.M. (1994), "The Feasible Solution Algorithm for the Minimum Covariance Determinant Estimator in Multivariate Data, *Computational Statistics and Data Analysis*, 17, 197-210.
230. Hawkins, D.M., Bradu, D., and Kass, G.V. (1984), "Location of Several Outliers in Multiple Regression Data Using Elemental Sets," *Technometrics*, 26, 197-208.

231. Hawkins, D.M., and Olive, D.J. (1999a), "Improved Feasible Solution Algorithms for High Breakdown Estimation," *Computational Statistics and Data Analysis*, 30, 1-11.
232. Hawkins, D.M., and Olive, D. (1999b), "Applications and Algorithms for Least Trimmed Sum of Absolute Deviations Regression," *Computational Statistics and Data Analysis*, 32, 119-134.
233. Hawkins, D.M., and Olive, D.J. (2002), "Inconsistency of Resampling Algorithms for High Breakdown Regression Estimators and a New Algorithm," (with discussion), *Journal of the American Statistical Association*, 97, 136-159.
234. Hawkins, D.M., and Simonoff, J.S. (1993), "High Breakdown Regression and Multivariate Estimation," *Applied Statistics*, 42, 423-432.
235. He, X. (1991), "A Local Breakdown Property of Robust Tests in Linear Regression," *Journal of Multivariate Analysis*, 38, 294-305.
236. He, X., Cui, H., and Simpson, D.G. (2004), "Longitudinal Data Analysis Using t-type Regression," *Journal of Statistical Planning and Inference*, 122, 253-269.
237. He, X., and Fung, W.K. (1999), "Method of Medians for Lifetime Data with Weibull Models," *Statistics in Medicine*, 18, 1993-2009.
238. He, X., Fung, W.K., and Zhu, Z.Y. (2005), "Robust Estimation in Generalized Partial Linear Models for Clustered Data," *Journal of the American Statistical Association*, 100, 1176-1184.
239. He, X., and Portnoy, S. (1992), "Reweighted LS Estimators Converge at the Same Rate as the Initial Estimator," *The Annals of Statistics*, 20, 2161-2167.
240. He, X., and Wang, G. (1996), "Cross-Checking Using the Minimum Volume Ellipsoid Estimator," *Statistica Sinica*, 6, 367-374.
241. He, X., and Wang, G. (1997), "A Qualitative Robustness of S*-Estimators of Multivariate Location and Dispersion," *Statistica Neerlandica*, 51, 257-268.

242. Hebbler, B. (1847), "Statistics of Prussia," *Journal of the Royal Statistical Society*, A, 10, 154-186.
243. Heng-Hui, L. (2001), "A Study of Sensitivity Analysis on the Method of Principal Hessian Directions," *Computational Statistics*, 16, 109-130.
244. Hettmansperger, T.P., and McKean, J.W. (1998), *Robust Nonparametric Statistical Methods*, Arnold, London.
245. Hettmansperger, T.P., and Sheather, S.J. (1992), "A Cautionary Note on the Method of Least Median Squares," *The American Statistician*, 46, 79-83.
246. Hilbe, J.M. (2007), *Negative Binomial Regression*, Cambridge University Press, Cambridge, UK.
247. Hinich, M.J., and Talwar, P.P. (1975), "A Simple Method for Robust Regression," *Journal of the American Statistical Association*, 70, 113-119.
248. Hinkley, D.V., and Wang, S. (1988), "More about Transformations and Influential Cases in Regression," *Technometrics*, 30, 435-440.
249. Hjort, N.L., and Claeskens, G. (2003), "Frequentist Model Average Estimators," *Journal of the American Statistical Association*, 98, 879-899.
250. Hoaglin, D.C., Mosteller, F., and Tukey, J.W. (1983), *Understanding Robust and Exploratory Data Analysis*, John Wiley and Sons, NY.
251. Hoaglin, D.C., and Welsh, R. (1978), "The Hat Matrix in Regression and ANOVA," *The American Statistician*, 32, 17-22.
252. Hoffman, J.P. (2003), *Generalized Linear Models: an Applied Approach*, Allyn & Bacon, Boston.
253. Horn, P.S. (1983), "Some Easy t-Statistics," *Journal of the American Statistical Association*, 78, 930-936.
254. Horowitz, J.L. (1996), "Semiparametric Estimation of a Regression Model with an Unknown Transformation of the Dependent Variable," *Econometrica*, 64, 103-137.

255. Horowitz, J.L. (1998), *Semiparametric Methods in Econometrics*, Springer-Verlag, NY.
256. Hosmer, D.W., and Lemeshow, S. (1980), "A Goodness of Fit Test for the Multiple Logistic Regression Model," *Communications in Statistics*, A10, 1043-1069.
257. Hosmer, D.W., and Lemeshow, S. (2000), *Applied Logistic Regression*, 2nd ed., John Wiley and Sons, NY.
258. Hössjer, O. (1991), *Rank-Based Estimates in the Linear Model with High Breakdown Point*, Ph.D. Thesis, Report 1991:5, Department of Mathematics, Uppsala University, Uppsala, Sweden.
259. Hössjer, O. (1994), "Rank-Based Estimates in the Linear Model with High Breakdown Point," *Journal of the American Statistical Association*, 89, 149-158.
260. Hristache, M., Juditsky, A., Polzehl, J., and Spokoiny V. (2001), "Structure Adaptive Approach for Dimension Reduction," *The Annals of Statistics*, 29, 1537-1566.
261. Huber, P.J. (1981), *Robust Statistics*, John Wiley and Sons, NY.
262. Hubert, M. (2001), "Discussion of 'Multivariate Outlier Detection and Robust Covariance Matrix Estimation' by D. Peña and F.J. Prieto," *Technometrics*, 43, 303-306.
263. Hubert, M., Rousseeuw, P.J., and Vanden Branden, K. (2005), "ROBPCA: a New Approach to Robust Principal Component Analysis," *Technometrics*, 47, 64-79.
264. Hubert, M., Rousseeuw, P.J., and Van Aelst, S. (2008), "High Breakdown Multivariate Methods," *Statistical Science*, to appear.
265. Hubert, M., and Van Driessen, K. (2004), "Fast and Robust Discriminant Analysis," *Computational Statistics and Data Analysis*, 45, 301-320.
266. Hutcheson, G.D., and Sofroniou, N. (1999), *The Multivariate Social Scientist: Introductory Statistics Using Generalized Linear Models*, Sage Publications, Thousand Oaks, CA.

267. Iglewicz, B., and Hoaglin, D.C. (1993), *How to Detect and Handle Outliers*, Quality Press, American Society for Quality, Milwaukee, Wisconsin.
268. Insightful (2002), *S-Plus 6 Robust Library User's Guide*, Insightful Corporation, Seattle, WA. Available from (<http://math.carleton.ca/~help/Splus/robust.pdf>).
269. Johnson, M.E. (1987), *Multivariate Statistical Simulation*, John Wiley and Sons, NY.
270. Johnson, N.L., and Kotz, S. (1970ab), *Distributions in Statistics: Continuous Univariate Distributions*, Vol. 1-2, Houghton Mifflin Company, Boston.
271. Johnson, N.L., and Kotz, S. (1972), *Distributions in Statistics: Continuous Multivariate Distributions*, John Wiley and Sons, NY.
272. Johnson, N.L., Kotz, S., and Kemp, A.K. (1992), *Distributions in Statistics: Univariate Discrete Distributions*, 2nd ed., John Wiley and Sons, NY.
273. Johnson, R.A., and Wichern, D.W. (1988), *Applied Multivariate Statistical Analysis*, 2nd ed., Prentice Hall, Englewood Cliffs, NJ.
274. Johnson, R.W. (1996), "Fitting Percentage of Body Fat to Simple Body Measurements," *Journal of Statistics Education*, 4 (1). Available from (www.amstat.org/publications/jse/).
275. Joiner, B.L., and Hall, D.L. (1983), "The Ubiquitous Role of f'/f in Efficient Estimation of Location," *The American Statistician*, 37, 128-133.
276. Jones, H.L., (1946), "Linear Regression Functions with Neglected Variables," *Journal of the American Statistical Association*, 41, 356-369.
277. Judge, G.G., Griffiths, W.E., Hill, R.C., Lütkepohl, H., and Lee, T.C. (1985), *The Theory and Practice of Econometrics*, 2nd ed., John Wiley and Sons, NY.
278. Jurečková, J., and Picek, J. (2005), *Robust Statistical Methods with R*, Chapman & Hall/CRC, Boca Rotan, FL.

279. Jureckova, J., and Portnoy, S. (1987), "Asymptotics for One-step M-estimators in Regression with Application to Combining Efficiency and High Breakdown Point," *Communications in Statistics Theory and Methods*, 16, 2187-2199.
280. Jureckova, J., and Sen, P.K. (1996), *Robust Statistical Procedures: Asymptotics and Interrelations*, John Wiley and Sons, NY.
281. Kafadar, K. (1982), "A Biweight Approach to the One-Sample Problem," *Journal of the American Statistical Association*, 77, 416-424.
282. Kalbfleisch, J.D., and Prentice, R.L. (1980), *The Statistical Analysis of Failure Time Data*, John Wiley and Sons, NY.
283. Kauermann, G., and Tutz, G., (2001), "Testing Generalized Linear and Semiparametric Models Against Smooth Alternatives," *Journal of the Royal Statistical Society, B*, 63, 147-166.
284. Kay, R., and Little, S. (1987), "Transformations of the Explanatory Variables in the Logistic Regression Model for Binary Data," *Biometrika*, 74, 495-501.
285. Kelker, D. (1970), "Distribution Theory of Spherical Distributions and a Location Scale Parameter Generalization," *Sankhya, A*, 32, 419-430.
286. Kennedy, W.J., and Gentle, J.E. (1980), *Statistical Computing*, Marcel Dekker, NY.
287. Kim, J. (2000), "Rate of Convergence of Depth Contours: with Application to a Multivariate Metrically Trimmed Mean," *Statistics and Probability Letters*, 49, 393-400.
288. Kim, J., and Pollard, D. (1990), "Cube Root Asymptotics," *The Annals of Statistics*, 18, 191-219.
289. Kim, S. (1992), "The Metrically Trimmed Mean As a Robust Estimator of Location," *The Annals of Statistics*, 20, 1534-1547.
290. Koenker, R.W. (1997), " L_1 Computation: an Interior Monologue," in *L_1 -Statistical Procedures and Related Topics*, ed. Dodge, Y., Institute of Mathematical Statistics, Hayward, CA, 15-32.

291. Koenker, R.W. (2005), *Quantile Regression*, Cambridge University Press, Cambridge, UK.
292. Koenker, R.W., and Bassett, G. (1978), "Regression Quantiles," *Econometrica*, 46, 33-50.
293. Koenker, R.W., and d'Orey, V. (1987), "Computing Regression Quantiles," *Applied Statistics*, 36, 383-393.
294. Koenker, R., and Geling, O. (2001), "Reappraising Medfly Longevity: a Quantile Regression Survival Analysis," *Journal of the American Statistical Association*, 96, 458-468.
295. Koltchinskii, V.I., and Li, L. (1998), "Testing for Spherical Symmetry of a Multivariate Distribution," *Journal of Multivariate Analysis*, 65, 228-244.
296. Kotz, S., and Johnson, N.L. (editors) (1982ab), *Encyclopedia of Statistical Sciences*, Vol. 1-2, John Wiley and Sons, NY.
297. Kotz, S., and Johnson, N.L. (editors) (1983ab), *Encyclopedia of Statistical Sciences*, Vol. 3-4, John Wiley and Sons, NY.
298. Kotz, S., and Johnson, N.L. (editors) (1985ab), *Encyclopedia of Statistical Sciences*, Vol. 5-6, John Wiley and Sons, NY.
299. Kotz, S., and Johnson, N.L. (editors) (1986), *Encyclopedia of Statistical Sciences*, Vol. 7, John Wiley and Sons, NY.
300. Kotz, S., and Johnson, N.L. (editors) (1988ab), *Encyclopedia of Statistical Sciences*, Vol. 8-9, John Wiley and Sons, NY.
301. Kowalski, C.J. (1973), "Non-normal Bivariate Distributions with Normal Marginals," *The American Statistician*, 27, 103-106.
302. Lambert, D., and Roeder, K. (1995), "Overdispersion Diagnostics for Generalized Linear Models," *Journal of the American Statistical Association*, 90, 1225-1236.
303. Landwehr, J.M., Pregibon, D. and Shoemaker, A.C. (1984), "Graphical Models for Assessing Logistic Regression Models," (with discussion), *Journal of the American Statistical Association*, 79, 61-83.

304. Larocque, D. and Randles, R.H. (2008), "Confidence Intervals for a Discrete Population Median, *The American Statistician*, 62, 32-39.
305. Lawless, J.F., and Singhai, K. (1978), "Efficient Screening of Nonnormal Regression Models," *Biometrics*, 34, 318-327.
306. Lax, D.A. (1985), "Robust Estimators of Scale: Finite Sample Performance in Long-Tailed Symmetric Distributions," *Journal of the American Statistical Association*, 80, 736-741.
307. Le, C.T. (1998), *Applied Categorical Data Analysis*, John Wiley and Sons, NY.
308. Leemis, L.M., and McQueston, J.T. (2008), "Univariate Distribution Relationships," *The American Statistician*, 62, 45-53.
309. Lehmann, E.L. (1983), *Theory of Point Estimation*, John Wiley and Sons, NY.
310. Lehmann, E.L. (1999), *Elements of Large-Sample Theory*, Springer-Verlag, NY.
311. Li, B., Zha, H., and Chiaromonte, F. (2005), "Contour Regression: a General Approach to Dimension Reduction," *The Annals of Statistics*, 33, 1580-1616.
312. Li, K.C. (1991), "Sliced Inverse Regression for Dimension Reduction," *Journal of the American Statistical Association*, 86, 316-342.
313. Li, K.C. (1992), "On Principal Hessian Directions for Data Visualization and Dimension Reduction: Another Application of Stein's Lemma," *Journal of the American Statistical Association*, 87, 1025-1040.
314. Li, K.C. (1997), "Nonlinear Confounding in High-Dimensional Regression," *The Annals of Statistics*, 25, 577-612.
315. Li, K.C. (2000), *High Dimensional Data Analysis Via the SIR/PHD Approach*, Unpublished Manuscript Available from (www.stat.ucla.edu/~kcli/).
316. Li, K.C., and Duan, N. (1989), "Regression Analysis Under Link Violation," *The Annals of Statistics*, 17, 1009-1052.

317. Li, L., Cook, R.D., and Nachtsheim, C.J. (2004), "Cluster-based Estimation for Sufficient Dimension Reduction," *Computational Statistics and Data Analysis*, 47, 175-193.
318. Li, L., Cook, R.D., and Nachtsheim, C.J. (2005), "Model-Free Variable Selection," *Journal of the Royal Statistical Society, B*, 67, 285-300.
319. Li, R., Fang, K., and Zhu, L. (1997), "Some Q-Q Probability Plots to Test Spherical and Elliptical Symmetry," *Journal of Computational and Graphical Statistics*, 6, 435-450.
320. Li, Y., and Zhu, L.-X. (2007), "Asymptotics for Sliced Average Variance Estimation," *The Annals of Statistics*, 35, 41-69.
321. Lin, T.C., and Pourahmadi, M. (1998), "Nonparametric and Nonlinear Models and Data Mining in Time Series: A Case-Study on the Canadian Lynx Data," *Journal of the Royal Statistical Society, C*, 47, 187-201.
322. Lindsey, J.K. (2000), *Applying Generalized Linear Models*, Springer, NY.
323. Lindsey, J.K. (2004), *Introduction to Applied Statistics: a Modelling Approach*, 2nd ed., Oxford University Press, Oxford, UK.
324. Little, R.J.A., and Rubin, D.B. (2002), *Statistical Analysis with Missing Data*, 2nd ed., John Wiley and Sons, NY.
325. Liu, R.Y., Parelis, J.M., and Singh, K. (1999), "Multivariate Analysis by Data Depth: Descriptive Statistics, Graphics, and Inference," *The Annals of Statistics*, 27, 783-858.
326. Lopuhaä, H.P. (1999), "Asymptotics of Reweighted Estimators of Multivariate Location and Scatter," *The Annals of Statistics*, 27, 1638-1665.
327. Luo, Z. (1998), "Backfitting in Smoothing Spline Anova," *The Annals of Statistics*, 26, 1733-1759.
328. Maddela, G.S., and Rao, C.R. (editors) (1997), *Robust Inference*, Handbook of Statistics 15, Elsevier Science B.V., Amsterdam.

329. Maguluri, G., and Singh, K. (1997), "On the Fundamentals of Data Analysis," in *Robust Inference*, eds. Maddela, G.S., and Rao, C.R., Elsevier Science B.V., Amsterdam, 537-549.
330. Mallows, C. (1973), "Some Comments on C_p ," *Technometrics*, 15, 661-676.
331. Manzotti, A., Pérez, F.J., and Quiroz, A.J. (2002), "A Statistic for Testing the Null Hypothesis of Elliptical Symmetry," *Journal of Multivariate Analysis*, 81, 274-285.
332. Marazzi, A. (1993), *Algorithms, Routines, and S Functions for Robust Statistics*, Wadsworth and Brooks/Cole, Belmont, CA.
333. Marazzi, A., and Ruffieux, C. (1996), "Implementing M-Estimators of the Gamma Distribution," in *Robust Statistics, Data Analysis, and Computer Intensive Methods*, ed. Rieder, H., Springer-Verlag, NY, 277-298.
334. Mardia, K.V., Kent, J.T., and Bibby, J.M. (1979), *Multivariate Analysis*, Academic Press, London.
335. Maronna, R.A., and Zamar, R.H. (2002), "Robust Estimates of Location and Dispersion for High-Dimensional Datasets," *Technometrics*, 44, 307-317.
336. Maronna, R.A., Martin, R.D., and Yohai, V.J. (2006), *Robust Statistics: Theory and Methods*, John Wiley and Sons, Hoboken, NJ.
337. Mašíček, L. (2004), "Optimality of the Least Weighted Squares Estimator," *Kybernetika*, 40, 715-734.
338. MathSoft (1999a), *S-Plus 2000 User's Guide*, Data Analysis Products Division, MathSoft, Seattle, WA. (Mathsoft is now Insightful.)
339. MathSoft (1999b), *S-Plus 2000 Guide to Statistics*, Volume 2, Data Analysis Products Division, MathSoft, Seattle, WA. (Mathsoft is now Insightful.)
340. Mayo, M.S., and Gray, J.B. (1997), "Elemental Subsets: the Building Blocks of Regression," *The American Statistician*, 51, 122-129.

341. McCullagh, P., and Nelder, J.A. (1989), *Generalized Linear Models*, 2nd ed., Chapman & Hall, London.
342. McCulloch, R.E. (1993), "Fitting Regression Models with Unknown Transformations Using Dynamic Graphics," *The Statistician*, 42, 153-160.
343. McKean, J.W., and Schrader, R.M. (1984), "A Comparison of Methods for Studentizing the Sample Median," *Communications in Statistics Simulation and Computation*, 13, 751-773.
344. Meeker, W.Q., and Escobar, L.A. (1998), *Statistical Methods for Reliability Data*, John Wiley and Sons, NY.
345. Mehrotra, D.V. (1995), "Robust Elementwise Estimation of a Dispersion Matrix," *Biometrics*, 51, 1344-1351.
346. Menard, S. (2000), "Coefficients of Determination for Multiple Logistic Regression Analysis," *The American Statistician*, 54, 17-24.
347. Møller, S.F., von Frese, J., and Bro, R. (2005), "Robust Methods for Multivariate Data Analysis," *Journal of Chemometrics*, 19, 549-563.
348. Moore, D.S. (2007), *The Basic Practice of Statistics*, 4th ed., W.H. Freeman, NY.
349. Moran, P.A.P (1953), "The Statistical Analysis of the Sunspot and Lynx Cycles," *Journal of Animal Ecology*, 18, 115-116.
350. Morgenthaler, S. (1989), "Comment on Yohai and Zamar," *Journal of the American Statistical Association*, 84, 636.
351. Morgenthaler, S. (1992), "Least-Absolute-Deviations Fits for Generalized Linear Models," *Biometrika*, 79, 747-754.
352. Morgenthaler, S., Ronchetti, E., and Stahel, W.A. (editors) (1993), *New Directions in Statistical Data Analysis and Robustness*, Birkhäuser, Boston.
353. Morgenthaler, S., and Tukey, J.W. (1991), *Configural Polysampling: A Route to Practical Robustness*, John Wiley and Sons, NY.

354. Mosteller, F. (1946), "On Some Useful Inefficient Statistics," *The Annals of Mathematical Statistics*, 17, 377-408.
355. Mosteller, F., and Tukey, J.W. (1977), *Data Analysis and Regression*, Addison-Wesley, Reading, MA.
356. Muirhead, R.J. (1982), *Aspects of Multivariate Statistical Theory*, John Wiley and Sons, NY.
357. Müller, C.H. (1997), *Robust Planning and Analysis of Experiments*, Springer-Verlag, NY.
358. Myers, R.H., Montgomery, D.C., and Vining, G.G. (2002), *Generalized Linear Models with Applications in Engineering and the Sciences*, John Wiley and Sons, NY.
359. Naik, P.A., and Tsai, C. (2001), "Single-Index Model Selections," *Biometrika*, 88, 821-832.
360. Nelder, J.A., and Wedderburn, R.W.M. (1972), "Generalized Linear Models," *Journal of the Royal Statistical Society, A*, 135, 370-380.
361. Neter, J., Kutner, M.H., Nachtsheim, C.J., and Wasserman W. (1996), *Applied Linear Statistical Models*, 4th ed., McGraw-Hill, Boston.
362. Niinimaa, A., Oja, H., and Tableman, M. (1990), "The Finite-Sample Breakdown Point of the Oja Bivariate Median and of the Corresponding Half-Samples Version," *Statistics and Probability Letters*, 10, 325-328.
363. Nordberg, L. (1982), "On Variable Selection in Generalized Linear and Related Regression Models," *Communications in Statistics Theory and Methods*, 11, 2427-2449.
364. Nott, D.J., and Leonte, D. (2004), "Sampling Schemes for Bayesian Variable Selection in Generalized Linear Models," *Journal of Computational and Graphical Statistics*, 13, 362-382.
365. Olive, D.J. (2001), "High Breakdown Analogs of the Trimmed Mean," *Statistics and Probability Letters*, 51, 87-92.
366. Olive, D.J. (2002), "Applications of Robust Distances for Regression," *Technometrics*, 44, 64-71.

367. Olive, D.J. (2004a), "A Resistant Estimator of Multivariate Location and Dispersion," *Computational Statistics and Data Analysis*, 46, 99-102.
368. Olive, D.J. (2004b), "Visualizing 1D Regression," in *Theory and Applications of Recent Robust Methods*, eds. Hubert, M., Pison, G., Struyf, A., and Van Aelst, S., Series: Statistics for Industry and Technology, Birkhäuser, Basel, Switzerland, 221-233.
369. Olive, D.J. (2005), "Two Simple Resistant Regression Estimators," *Computational Statistics and Data Analysis*, 49, 809-819.
370. Olive, D.J. (2005b), "A Simple Confidence Interval for the Median," Unpublished manuscript available from (www.math.siu.edu/olive/ppmedci.pdf).
371. Olive, D.J. (2006), "Robust Estimators for Transformed Location-Scale Families," Unpublishable manuscript available from (www.math.siu.edu/olive/preprints.htm).
372. Olive, D.J. (2007), "Prediction Intervals for Regression Models," *Computational Statistics and Data Analysis*, 51, 3115-3122.
373. Olive, D.J. (2007b), "Plots for Poisson Regression," Unpublished Manuscript available from (www.math.siu.edu/olive/pppreg.pdf).
374. Olive, D.J. (2007c), "Plots for Binomial Regression," Unpublished Manuscript available from (www.math.siu.edu/olive/ppbreg.pdf).
375. Olive, D.J. (2007d), *Multiple Linear and 1D Regression Models*, Unpublished Online Text available from (www.math.siu.edu/olive/regbk.htm).
376. Olive, D.J. (2007e), "A Simple Limit Theorem for Exponential Families," Unpublished manuscript available from (www.math.siu.edu/olive/infer.htm).
377. Olive, D.J. (2008a), *A Course in Statistical Theory*, Unpublished manuscript available from (www.math.siu.edu/olive/).
378. Olive, D.J. (2008b), "Using Exponential Families in an Inference Course," Unpublished manuscript available from (www.math.siu.edu/olive/infer.htm).

379. Olive, D.J., and Hawkins, D.M. (1999), "Comment on 'Regression Depth' by P.J. Rousseeuw and M. Hubert," *Journal of the American Statistical Association*, 94, 416-417.
380. Olive, D.J., and Hawkins, D.M. (2003), "Robust Regression with High Coverage," *Statistics and Probability Letters*, 63, 259-266.
381. Olive, D.J., and Hawkins, D.M. (2005), "Variable Selection for 1D Regression Models," *Technometrics*, 47, 43-50.
382. Olive, D.J., and Hawkins, D.M. (2007a), "Behavior of Elemental Sets in Regression," *Statistics and Probability Letters*, 77, 621-624.
383. Olive, D.J., and Hawkins, D.M. (2007b), "Robustifying Robust Estimators," Preprint, see (www.math.siu.edu/olive/preprints.htm).
384. Olive, D.J., and Hawkins, D.M. (2008), "High Breakdown Multivariate Estimators," Preprint, see (www.math.siu.edu/olive/preprints.htm).
385. Oosterhoff, J. (1994), "Trimmed Mean or Sample Median?" *Statistics and Probability Letters*, 20, 401-409.
386. Pardoe, I. and Cook, R.D. (2002), "A Graphical Method for Assessing the Fit of a Logistic Regression Model," *The American Statistician*, 56, 263-272.
387. Parzen, E. (1979), "Nonparametric Statistical Data Modeling," *Journal of the American Statistical Association*, 74, 105-131.
388. Patel, J.K. (1989), "Prediction Intervals – a Review," *Communications in Statistics: Theory and Methods*, 18, 2393-2465.
389. Patel, J.K., Kapadia C.H., and Owen, D.B. (1976), *Handbook of Statistical Distributions*, Marcel Dekker, NY.
390. Peña, D., and Prieto, F.J. (2001), "Multivariate Outlier Detection and Robust Covariance Matrix Estimation," *Technometrics*, 286-299.
391. Pewsey, A. (2002), "Large-Sample Inference for the Half-Normal Distribution," *Communications in Statistics Theory and Methods*, 31, 1045-1054.

392. Pierce, D.A., and Schafer, D.W. (1986), "Residuals in Generalized Linear Models," *Journal of the American Statistical Association*, 81, 977-986.
393. Pison, G., Rousseeuw, P.J., Filzmoser, P., and Croux, C. (2003), "Robust Factor Analysis," *Journal of Multivariate Analysis*, 84, 145-172.
394. Poor, H.V. (1988), *An Introduction to Signal Detection and Estimation*, Springer-Verlag, NY.
395. Porat, B. (1993), *Digital Processing of Random Signals*, Prentice-Hall, Englewood Cliffs, NJ.
396. Portnoy, S. (1987), "Using Regression Quantiles to Identify Outliers," in *Statistical Data Analysis Based on the L₁ Norm and Related Methods*, ed. Y. Dodge, North Holland, Amsterdam, 345-356.
397. Portnoy, S. (1997), "On Computation of Regression Quantiles: Making the Laplacian Tortoise Faster," in *L₁-Statistical Procedures and Related Topics*, ed. Dodge, Y., Institute of Mathematical Statistics, Hayward, CA, 187-200.
398. Portnoy, S., and Koenker, R. (1997), "The Gaussian Hare and the Laplacian Tortoise: Computability of Squared Error Versus Absolute-Error Estimators," *Statistical Science*, 12, 279-300.
399. Powers, D.A., and Xie, Y. (2000), *Statistical Methods for Categorical Data Analysis*, Academic Press, San Diego.
400. Pratt, J.W. (1959), "On a General Concept of 'in Probability,'" *The Annals of Mathematical Statistics*, 30, 549-558.
401. Pratt, J.W. (1968), "A Normal Approximation for Binomial, F, Beta, and Other Common, Related Tail Probabilities, II," *Journal of the American Statistical Association*, 63, 1457-1483.
402. Pregibon, D. (1981), "Logistic Regression Diagnostics," *The Annals of Statistics*, 9, 705-724.
403. Pregibon, D. (1982), "Resistant Fits for Some Commonly Used Logistic Models with Medical Applications," *Biometrics*, 38, 485-498.

404. Prescott, P. (1978), "Selection of Trimming Proportions for Robust Adaptive Trimmed Means," *Journal of the American Statistical Association*, 73, 133-140.
405. Preston, S. (2000), "Teaching Prediction Intervals," *Journal of Statistical Education*, 3, available from (www.amstat.org/publications/jse/secure/v8n3/preston.cfm).
406. Rao, C.R. (1965), *Linear Statistical Inference and Its Applications*, John Wiley and Sons, NY.
407. Rey, W.J. (1978), *Robust Statistical Methods*, Springer-Verlag, NY.
408. Rieder, H. (1996), *Robust Statistics, Data Analysis, and Computer Intensive Methods*, Springer-Verlag, NY.
409. Rocke, D.M. (1998), "Constructive Statistics: Estimators, Algorithms, and Asymptotics," in *Computing Science and Statistics*, 30, ed. Weisberg, S., Interface Foundation of North America, Fairfax Station, Va, 1-14.
410. Rocke, D.M., and Woodruff, D.L. (1996), "Identification of Outliers in Multivariate Data," *Journal of the American Statistical Association*, 91, 1047-1061.
411. Rocke, D.M., and Woodruff, D.L. (2001), "Discussion of 'Multivariate Outlier Detection and Robust Covariance Matrix Estimation' by D. Peña and F.J. Prieto," *Technometrics*, 43, 300-303.
412. Rohatgi, V.K. (1976), *An Introduction to Probability Theory and Mathematical Statistics*, John Wiley and Sons, NY.
413. Ronchetti, E., and Staudte, R.G. (1994), "A Robust Version of Mallows's C_p ," *Journal of the American Statistical Association*, 89, 550-559.
414. Rouncefield, M. (1995), "The Statistics of Poverty and Inequality," *Journal of Statistics and Education*, 3(2). Available online from the website (www.amstat.org/publications/jse/).
415. Rousseeuw, P.J. (1984), "Least Median of Squares Regression," *Journal of the American Statistical Association*, 79, 871-880.

416. Rousseeuw, P.J. (1993), "A Resampling Design for Computing High-Breakdown Regression," *Statistics and Probability Letters*, 18, 125-128.
417. Rousseeuw, P.J., and Bassett, G.W. (1990), "The Remedian: A Robust Averaging Method for Large Data Sets," *Journal of the American Statistical Association*, 85, 97-104.
418. Rousseeuw, P.J., and Bassett, G.W. (1991), "Robustness of the p-Subset Algorithm for Regression with High Breakdown Point," in *Directions in Robust Statistics and Diagnostics*, Part 2, eds. Stahel, W., and Weisberg, S., Springer-Verlag, NY, 185-194.
419. Rousseeuw, P.J. and Christmann, A. (2003), "Robustness Against Separation and Outliers in Logistic Regression," *Computational Statistics and Data Analysis*, 43, 315-332.
420. Rousseeuw, P.J., and Croux, C. (1992), "Explicit Scale Estimators with High Breakdown Point," in *L1-Statistical Analysis and Related Methods*, ed. Dodge, Y., Elsevier Science Publishers, Amsterdam, Holland, 77-92.
421. Rousseeuw, P.J., and Croux, C. (1993), "Alternatives to the Median Absolute Deviation," *Journal of the American Statistical Association*, 88, 1273-1283.
422. Rousseeuw, P.J., and Hubert, M. (1999), "Regression Depth," *Journal of the American Statistical Association*, 94, 388-433.
423. Rousseeuw, P.J., and Leroy, A.M. (1987), *Robust Regression and Outlier Detection*, John Wiley and Sons, NY.
424. Rousseeuw, P.J., and Van Driessen, K. (1999), "A Fast Algorithm for the Minimum Covariance Determinant Estimator," *Technometrics*, 41, 212-223.
425. Rousseeuw, P.J., and Van Driessen, K. (2000), "An Algorithm for Positive-Breakdown Regression Based on Concentration Steps," in *Data Analysis: Modeling and Practical Application*, eds. Gaul, W., Opitz, O., and Schader, M., Springer-Verlag, NY, 335-346.

426. Rousseeuw, P.J., and Van Driessen, K. (2002), "Computing LTS Regression for Large Data Sets," *Estadistica*, 54, 163-190.
427. Rousseeuw, P.J., and Van Driessen, K. (2006), "Computing LTS Regression for Large Data Sets," *Data Mining and Knowledge Discovery*, 12, 29-45.
428. Rousseeuw, P.J., and van Zomeren, B.C. (1990), "Unmasking Multivariate Outliers and Leverage Points," *Journal of the American Statistical Association*, 85, 633-651.
429. Rousseeuw, P.J., and van Zomeren, B.C. (1992), "A Comparison of Some Quick Algorithms for Robust Regression," *Computational Statistics and Data Analysis*, 14, 107-116.
430. Rubin, D.B. (1980), "Composite Points in Weighted Least Squares Regressions," *Technometrics*, 22, 343-348.
431. Rubin, D.B. (2004), "On Advice for Beginners in Statistical Research," *The American Statistician*, 58, 196-197.
432. Ruppert, D. (1992), "Computing S-Estimators for Regression and Multivariate Location/Dispersion," *Journal of Computational and Graphical Statistics*, 1, 253-270.
433. Ruppert, D., and Carroll, R.J. (1980), "Trimmed Least Squares Estimation in the Linear Model," *Journal of the American Statistical Association*, 75, 828-838.
434. Santer, T.J. and Duffy, D.E. (1986), "A Note on A. Albert's and J. A. Anderson's Conditions for the Existence of Maximum Likelihood Estimates in Logistic Regression Models," *Biometrika*, 755-758.
435. Satoh, K., and Ohtaki, M. (2004), "A Note on Multiple Regression for Single Index Model," *Communications in Statistics Theory and Methods*, 33, 2409-2422.
436. Schaaffhausen, H. (1878), "Die Anthropologische Sammlung Des Anatomischen Der Universitat Bonn," *Archiv fur Anthropologie*, 10, 1-65, Appendix.

437. Seber, G.A.F., and Lee, A.J. (2003), *Linear Regression Analysis*, 2nd ed., John Wiley and Sons, NY.
438. Serfling, R.J. (1980), *Approximation Theorems of Mathematical Statistics*, John Wiley and Sons, NY.
439. Shao, J. (1993), "Linear Model Selection by Cross-Validation," *Journal of the American Statistical Association*, 88, 486-494.
440. Shevlyakov, G.L., and Vilchevski, N.O. (2002), *Robustness in Data Analysis: Criteria and Methods*, Brill Academic Publishers, Leiden, Netherlands.
441. Sheynin, O. (1997), "Letter to the Editor," *The American Statistician*, 51, 210.
442. Shorack, G.R. (1974), "Random Means," *The Annals of Statistics*, 1, 661-675.
443. Shorack, G.R., and Wellner, J.A. (1986), *Empirical Processes With Applications to Statistics*, John Wiley and Sons, NY.
444. Siegel, A.F. (1982), "Robust Regression Using Repeated Medians," *Biometrika*, 69, 242-244.
445. Simonoff, J.S. (1987a), "The Breakdown and Influence Properties of Outlier-Rejection-Plus-Mean Procedures," *Communications in Statistics Theory and Methods*, 16, 1749-1769.
446. Simonoff, J.S. (1987b), "Outlier Detection and Robust Estimation of Scale," *Journal of Statistical Computation and Simulation*, 27, 79-92.
447. Simonoff, J.S. (1998), "Logistic Regression, Categorical Predictors, and Goodness-of-fit: It Depends on Who You Ask," *The American Statistician*, 52, 10-14.
448. Simonoff, J.S. (2003), *Analyzing Categorical Data*, Springer-Verlag, NY.
449. Simonoff, J.S., and Tsai, C. (2002), "Score Tests for the Single Index Model," *Technometrics*, 44, 142-151.

450. Simpson, D.G., Ruppert, D., and Carroll, R.J. (1992), "On One-Step GM Estimates and Stability of Inferences in Linear Regression," *Journal of the American Statistical Association*, 87, 439-450.
451. Smith, W.B. (1997), "Publication is as Easy as C-C-C," *Communications in Statistics Theory and Methods*, 26, vii-xii.
452. Sommer, S., and Huggins, R.M. (1996), "Variables Selection Using the Wald Test and a Robust C_p ," *Applied Statistics*, 45, 15-29.
453. Spinelli, J. J., Lockart, R. A., and Stephens, M. A. (2002), "Tests for the Response Distribution in a Poisson Regression Model," *Journal of Statistical Planning and Inference*, 108, 137-154.
454. Srivastava, D.K., and Mudholkar, G.S. (2001), "Trimmed \tilde{T}^2 : A Robust Analog of Hotelling's T^2 ," *Journal of Statistical Planning and Inference*, 97, 343-358.
455. Stahel, W., and Weisberg, S. (1991ab), *Directions in Robust Statistics and Diagnostics*, Part 1 and Part 2, Springer-Verlag, NY.
456. Staudte, R.G., and Sheather, S.J. (1990), *Robust Estimation and Testing*, John Wiley and Sons, NY.
457. Stefanski, L.A. (1991), "A Note on High-Breakdown Estimators," *Statistics and Probability Letters*, 11, 353-358.
458. Stefanski, L.A., and Boos, D.D. (2002), "The Calculus of M-estimators," *The American Statistician*, 56, 29-38.
459. Stigler, S.M. (1973a), "The Asymptotic Distribution of the Trimmed Mean," *The Annals of Mathematical Statistics*, 1, 472-477.
460. Stigler, S.M. (1973b), "Simon Newcomb, Percy Daniell, and the History of Robust Estimation 1885-1920," *Journal of the American Statistical Association*, 68, 872-878.
461. Stigler, S.M (1977), "Do Robust Estimators Work with Real Data?" *The Annals of Statistics*, 5, 1055-1098.
462. Stoker, T.M. (1986), "Consistent Estimation of Scaled Coefficients," *Econometrica*, 54, 1461-1481.

463. Street, J.O., Carroll, R.J., and Ruppert, D. (1988), "A Note on Computing Regression Estimates Via Iteratively Reweighted Least Squares," *The American Statistician*, 42, 152-154.
464. Stromberg, A.J. (1993a), "Computing the Exact Least Median of Squares Estimate and Stability Diagnostics in Multiple Linear Regression," *SIAM Journal of Scientific and Statistical Computing*, 14, 1289-1299.
465. Stromberg, A.J. (1993b), "Comment by Stromberg and Reply," *The American Statistician*, 47, 87-88.
466. Su, J.Q., and Wei, L.J. (1991), "A Lack-of-Fit Test for the Mean Function in a Generalized Linear Model," *Journal of the American Statistical Association*, 86, 420-426.
467. Tableman, M. (1994a), "The Influence Functions for the Least Trimmed Squares and the Least Trimmed Absolute Deviations Estimators," *Statistics and Probability Letters*, 19, 329-337.
468. Tableman, M. (1994b), "The Asymptotics of the Least Trimmed Absolute Deviations (LTAD) Estimator," *Statistics and Probability Letters*, 19, 387-398.
469. Thode, H.C. (2002), *Testing for Normality*, Marcel Dekker, NY.
470. Tibshirani, R. (1996), "Regression Shrinkage and Selection Via the Lasso," *Journal of the Royal Statistical Society, B*, 58, 267-288.
471. Tierney, L. (1990), *Lisp-Stat*, John Wiley and Sons, NY.
472. Tong, H. (1977), "Some Comments on the Canadian Lynx Data," *Journal of the Royal Statistical Society, A*, 140, 432-468.
473. Tong, H. (1983), *Threshold Models in Nonlinear Time Series Analysis*, Lecture Notes in Statistics, 21, Springer-Verlag, Heidelberg.
474. Tremearne, A.J.N. (1911), "Notes on Some Nigerian Tribal Marks," *Journal of the Royal Anthropological Institute of Great Britain and Ireland*, 41, 162-178.

475. Tsai, C.L., and Wu, X. (1992), "Transformation-Model Diagnostics," *Technometrics*, 34, 197-202.
476. Tukey, J.W. (1957), "Comparative Anatomy of Transformations," *Annals of Mathematical Statistics*, 28, 602-632.
477. Tukey, J.W. (1977), *Exploratory Data Analysis*, Addison-Wesley Publishing Company, Reading, MA.
478. Tukey, J.W. (1991), "Graphical Displays for Alternative Regression Fits," in *Directions in Robust Statistics and Diagnostics*, Part 2, eds. Stahel, W., and Weisberg, S., Springer-Verlag, NY, 309-326.
479. Tukey, J.W., and McLaughlin, D.H. (1963), "Less Vulnerable Confidence and Significance Procedures for Location Based on a Single Sample: Trimming/Winsorization 1," *Sankhya, A*, 25, 331-352.
480. Velilla, S. (1993), "A Note on the Multivariate Box-Cox Transformation to Normality," *Statistics and Probability Letters*, 17, 259-263.
481. Velilla, S. (1998), "A Note on the Behavior of Residual Plots in Regression," *Statistics and Probability Letters*, 37, 269-278.
482. Velleman, P.F., and Welsch, R.E. (1981), "Efficient Computing of Regression Diagnostics," *The American Statistician*, 35, 234-242.
483. Venables, W.N., and Ripley, B.D. (2003), *Modern Applied Statistics with S*, 4th ed., Springer-Verlag, NY.
484. Víšek, J.Á. (1996), "On High Breakdown Point Estimation," *Computational Statistics*, 11, 137-146.
485. Víšek, J.Á. (2006), "The Least Trimmed Squares - Part III: Asymptotic Normality," *Kybernetika*, 42, 203-224.
486. Wackerly, D.D., Mendenhall, W., and Scheaffer, R.L., (2008), *Mathematical Statistics with Applications*, 7th ed., Thomson Brooks/Cole, Belmont, CA.
487. Wand, M.P. (1999), "A Central Limit Theorem for Local Polynomial Backfitting Estimators," *Journal of Multivariate Analysis*, 70, 57-65.

488. Wang, H., Ni, L., and Tsai, C.-L. (2008), "Improving Dimension Reduction Via Contour–Projection," *Statistica Sinica*, 18, 299-312.
489. Weisberg, S. (2002), "Dimension Reduction Regression in R," *Journal of Statistical Software*, 7, webpage (www.jstatsoft.org).
490. Weisberg, S. (2005), *Applied Linear Regression*, 3rd ed., John Wiley and Sons, NY.
491. Weisberg, S., and Welsh, A.H. (1994), "Adapting for the Missing Link," *The Annals of Statistics*, 22, 1674-1700.
492. Welch, B.L. (1937), "The Significance of the Difference Between Two Means When the Population Variances are Unequal," *Biometrika*, 29, 350-362.
493. Welsh, A.H. (1986), "Bahadur Representations for Robust Scale Estimators Based on Regression Residuals," *The Annals of Statistics*, 14, 1246-1251.
494. Welsh, A.H., and Ronchetti, E. (1993), "A Failure of Intuition: Naive Outlier Deletion in Linear Regression," Preprint.
495. White, H. (1984), *Asymptotic Theory for Econometricians*, Academic Press, San Diego, CA.
496. Wilcox, R.R. (2001), *Fundamentals of Modern Statistical Methods: Substantially Increasing Power and Accuracy*, Springer-Verlag, NY.
497. Wilcox, R.R. (2003), *Applying Contemporary Statistical Techniques*, Academic Press, San Diego, CA.
498. Wilcox, R.R. (2005), *Introduction to Robust Estimation and Testing*, 2nd ed., Elsevier Academic Press, San Diego, CA.
499. Willems, G., Pison, G., Rousseeuw, P.J., and Van Aelst, S. (2002), "A Robust Hotelling Test," *Metrika*, 55, 125-138.
500. Winkelmann, R. (2000, 2008), *Econometric Analysis of Count Data*, 3rd ed., 5th ed., Springer-Verlag, NY.

501. Wisnowski, J.W., Simpson J.R., and Montgomery D.C. (2002), "A Performance Study for Multivariate Location and Shape Estimators," *Quality and Reliability Engineering International*, 18, 117-129.
502. Woodruff, D.L., and Rocke, D.M. (1993), "Heuristic Search Algorithms for the Minimum Volume Ellipsoid," *Journal of Computational and Graphical Statistics*, 2, 69-95.
503. Woodruff, D.L., and Rocke, D.M. (1994), "Computable Robust Estimation of Multivariate Location and Shape in High Dimension Using Compound Estimators," *Journal of the American Statistical Association*, 89, 888-896.
504. Xia, Y., Tong, H., Li, W.K., and Zhu, L.-X. (2002), "An Adaptive Estimation of Dimension Reduction Space," (with discussion), *Journal of the Royal Statistical Society, B*, 64, 363-410.
505. Yeo, I.K., and Johnson, R. (2000), "A New Family of Power Transformations to Improve Normality or Symmetry," *Biometrika*, 87, 954-959.
506. Yin, X.R., and Cook, R.D. (2002), "Dimension Reduction for the Conditional kth Moment in Regression," *Journal of the Royal Statistical Society, B*, 64, 159-175.
507. Yin, X., and Cook, R.D. (2003), "Estimating Central Subspaces Via Inverse Third Moments," *Biometrika*, 90, 113-125.
508. Yohai, V.J. and Maronna, R. (1976), "Location Estimators Based on Linear Combinations of Modified Order Statistics," *Communications in Statistics Theory and Methods*, 5, 481-486.
509. Yuen, K.K. (1974), "The Two-Sample Trimmed t for Unequal Population Variances," *Biometrika*, 61, 165-170.
510. Zheng, B., and Agresti, A. (2000), "Summarizing the Predictive Power of a Generalized Linear Model," *Statistics in Medicine*, 19 1771-1781.

Index

- Čížek, 232, 236
1D regression, vi, 1, 359, 363, 369, 372
1D structure, 364
Abraham, 436
Abuhassan, 96
Adcock, 180
Adell, 91
affine equivariant, 291, 313
affine transformation, 292, 313
Agresti, 73, 219, 408, 432, 444, 459, 497
Agulló, 240, 358
Albert, 460
Aldrin, 218, 371, 410
ALMS, 9
Alqallaf, 336
ALTA, 229
ALTS, 9, 229
Andersen, viii, 460
Anderson, 337, 408, 456, 460
Anderson-Sprecher, 218
Andrews, 63, 126
anova models, 211
Anscombe, 491
Ansley, 410
Appa, 240
Arc, 18, 482
Arcones, 321
Armitrage, 97
Ashworth, 154, 189, 223
asymptotic distribution, 5
asymptotic paradigm, 5, 284
asymptotic relative efficiency, 119
asymptotic theory, 47, 63, 64
asymptotic variance, 40, 113
Atkinson, viii, 181, 218, 250, 281, 427
attractor, 260, 317
B, 483
Bolviken, 218, 371, 410
Bai, 239, 259
Barndorff-Nielsen, 459
Barnett, viii, 17, 459
Barrett, 218
Barrodale, 180
basic resampling, 252, 280, 317
Bassett, 63, 232, 236, 237, 247, 281, 297
Bayesian, 14, 218, 459
Becker, 18, 408, 482, 483
Beckman, 17
Belsley, viii, 218
Bentler, 491
Berger, x, 29
Bernholdt, 337
Bernholt, xiv
beta-binomial regression, 432
Bibby, 337
Bickel, 50, 63, 96, 114, 126

- Binary regression, 358
binary regression, 2, 425, 497
binary response plot, 497
binomial distribution, 72
binomial regression, 425
bivariate normal, 306
Bloch, 37, 61, 62, 121
Bloomfield, 180
Bogdan, 359
Boos, 498
bootstrap, 494
bounded in probability, 48
Bowman, 76, 81, 97
Box, vi, 1, 3, 14, 17, 135, 140, 180
box plot, 24
Box–Cox transformation, 135, 350, 383
Bradu, 214, 280
branch and bound, 240
Branco, 358
breakdown, x, 227, 236, 287, 292, 301, 314, 319
Breslow, 460
Brillinger, 363, 368, 372, 406, 407
Bro, 360
Brockwell, 221
Broffitt, 232
Buja, 410
bulging rule, 384
Bunch, 180
Bura, 407
Burman, 181
Burnham, 408, 456, 460
Burr distribution, 74
Butler, 316, 321
Buxton, 9, 24, 47, 158, 163, 207, 210, 247, 341, 351, 354, 355
Cížek, 408
Cai, 182
Cambanis, 337
Cameron, 459, 460
Canonical correlation analysis, 358
canonical correlation analysis, 493
Cantoni, 460
Carroll, 244, 248, 263, 282
Casella, x, 29
Castillo, 96
categorical data, 459
categorical models, 211
Cattell, 491
Cauchy distribution, 74
Cavanagh, 407
cdf, 24, 74
censored data, 61
central limit theorem, 113
Cerioli, viii
Chaganty, 113
Chambers, 18, 61, 201, 204, 218, 343, 387, 483, 490
Chang, 248, 359, 360, 395, 406, 410
characteristic function, 72
Chatterjee, viii, 181, 218
Chebyshev estimator, 132, 232
Chen, 35, 80, 91, 397, 399, 407, 410
Cheng, 459
chf, 72
chi distribution, 75
chi-square distribution, 75
Chiaromonte, 407
Chmielewski, 337
Christensen, 459
Christmann, 435, 460
CI, 40, 160
Claeskins, 181, 408
Clarke, 63, 94

- Cleveland, 61, 201, 204, 218, 343, 387, 490
Clopper, 73
CLT, 5
CMCD, 317
CMVE, 320
Coakley, 248
Cohen, 92, 96
Collett, 182, 436, 459, 460
Colton, 97
concentration, 259, 281, 288, 289, 317, 318, 346, 479
conditional distribution, 306
consistent estimator, 113
continuous random variable, 105
converges almost everywhere, 48
converges in distribution, 48
converges in probability, 48
Cook, viii, ix, 17, 18, 20, 134, 135, 140, 151, 177, 181, 191, 202–205, 212, 213, 217, 225, 281, 308, 309, 337, 340, 350, 359, 363, 365, 366, 372, 373, 375, 383, 384, 387, 390, 406, 408, 441, 454, 459, 464, 466, 480, 482, 490, 498
Cook's distance, 203, 407
Cooke, 94
Coull, 73
covariance matrix, 202, 305
coverage, 228
covering ellipsoid, 351
Cox, 14, 135, 140, 180, 364, 365, 410
Cramér, 49, 96
Cramer, 459
Craven, 94
Crawley, 483
Critchley, 407, 410
Croos-Dabrerera, 410
cross checking, xv, 35, 62, 97, 248, 282, 336, 500
Croux, 63, 79, 239, 311, 322, 358
Cui, 358
cumulative distribution function, 74
Czörgö, 359
d'Orey, 180
Dahiya, 113
Daniel, 148, 387
Datta, x, 180, 252
David, 17, 63
Davies, 236, 248, 316, 321, 337
Davis, 221
DD plot, 343, 367
Dean, 460
deCani, 98
DeGroot, x, 96
Dehon, 311
Delecroix, 407
Dell'Aquila, viii
depth, 251, 259
depth estimator, 239
Devlin, 18, 281, 319, 479
DGK estimator, 319
Di Buccianico, 182, 498
Diaconis, 63
diagnostic for linearity, 378
diagnostics, viii, 1, 3, 201
dimension reduction, vi, ix, 367
discrete random variable, 105
Discriminant analysis, 358
discriminant analysis, 493
discriminant function, 426
distributionally robust, ix
Dixon, 63

- Dobson, 459
Dodge, viii, 180
Doksum, 96
Dollinger, 263
Dongarra, 180
Donoho, 301
double exponential distribution, 76
Draper, 180, 208
Duan, 18, 181, 364, 368, 397, 406, 480
Duda, x
Duffy, 460

EAC, 231
Easton, 345
Eaton, 264, 308, 337
EC, 322, 366
EDA, 3
EE plot, 386, 456
efficiency, 236
Efron, 181, 408
Ehrenberg, 482
Einmahl, 182, 498
elemental fit, 252
elemental set, 240, 251, 280, 285, 317
ellipsoidal trimming, 354, 372
elliptically contoured, ix, 308, 311, 337, 348, 359, 366, 368, 409
elliptically symmetric, 308
empirical processes, 248
Eno, 459
equivariant, 114
Escobar, 96
ESP, 372
ESSP, 372
estimated sufficient predictor, 372

estimated sufficient summary plot, 366, 372
Euclidean norm, 253
expected value, 104
exponential distribution, 78
exponential family, 418
EY plot, 360, 368, 386

F distribution, 102
Factor analysis, 358
factor analysis, 493
Fahrmeir, 459, 473
Falk, 36, 56, 63
Fan, 408
Fang, 337, 345
Farebrother, 280
FCH estimator, 320, 346
Feller, 268, 301
Ferguson, 74, 96
FF plot, 144, 206
FF λ plot, 134
Field, 63
Filzmoser, 358
Fisher, 337
fit-response plot, 212
fitted values, 131
Fortran, 282
Fowlkes, 181
Fox, viii, 203, 217, 483
Fréchet, 102
Freedman, 63
Freeman, 482
Friedman, 217
full model, 143, 456
Fung, 35, 61, 62, 358, 407, 410, 500
Furnival, 148, 181, 385
FY plot, 212, 360

gamma distribution, 80

- Ganio, 460
García-Escudero, 338
Gastwirth, 37, 61, 62, 121
Gather, 408
Gaussian distribution, 88
Geling, 364
generalized additive models, 410
generalized linear model, 364, 418, 419, 459
Gentle, viii, 76, 96
geometric distribution, 102
Giummolè, 182
Gladstone, 6, 148, 191, 206, 342
GLM, 2, 419, 455
Gnanadesikan, viii, 18, 281, 319, 322, 336, 479
Golub, x, 180, 252, 254
Gonzalez, 482
Gordaliza, 338
Grübel, 182
Gray, 218, 281
Griffiths, x
Gross, 63, 126
Guenther, 63, 126
Gumbel distribution, 84
Gupta, 337
Härdle, 218, 407, 408
Hössjer, 228, 236, 238, 239, 247
Hadi, viii, 181, 218
Haesbroeck, 358
Haggstrom, 427, 460
Hahn, 63
half Cauchy distribution, 82, 101
half logistic distribution, 83, 101
half normal distribution, 83, 101
Hall, 62, 63, 218, 407, 409
Hamada, 482
Hamilton, viii
Hampel, vii, 4, 5, 17, 18, 28, 61, 63, 126, 228, 247, 301
Hamza, 72
Hardin, 459
Harrison, 16, 392
Hart, x
Harter, 180
Hastie, 181, 408, 410
Hastings, 96
hat matrix, 132, 202
Hawkins, viii, xv, 143, 214, 218, 231, 233, 237, 240, 242, 247, 250, 260, 280, 317, 318, 336, 337, 372, 384, 408, 460, 480, 492, 498, 500
HB, vii, 227, 254
He, xv, 35, 61, 62, 234, 239, 248, 259, 263, 270, 336, 338, 358, 407, 410, 499
Hebbler, 223
Heng-Hui, 408
heteroscedastic, 365
Hettmansperger, viii, 52, 63, 218, 244, 248
high breakdown, 227
high median, 26
Hilbe, 459
Hilker, 408
Hill, x
Hinich, 281
Hinkley, 181
Hjort, 181, 408
Hoaglin, viii, 218, 482
Hoffman, 459
Horn, 63
Horowitz, 18, 364, 407
Hosmer, 426, 430, 459

- Hotelling's t test, 493
Hotelling's T^2 test, 358
Hristache, 218, 407
Huang, 337
Huber, vii, 4, 17, 61, 62, 126, 161,
 244, 301
Hubert, 229, 239, 338, 358
Huggins, 181
Hutcheson, 459

Ichimura, 218, 407
identity line, 6, 144
Iglewicz, viii
iid, vi, 2, 11
indicator function, 72, 109
influence, 202, 203
interquartile range, 57
inverse response plot, 181
inverse Wishart distribution, 264

jackknife, 494
Jhun, 316, 321
Jodrá, 91
Johnson, x, 12, 72, 81, 88, 96, 110,
 113, 181, 184, 305, 308, 316,
 337, 384, 402, 498
Johnstone, 181, 408
Joiner, 62
joint distribution, 305
Jones, 144, 181, 386
Judge, x
Juditsky, 218, 407
Jureckova, viii, 63, 64, 248

Kafadar, 63
Kalbfleisch, 102
Kapadia, 74, 75, 77, 78, 96
Kass, 214, 280
Kauermann, 459

Kay, 454
Kelker, 309
Keller-McNulty, 482
Kemp, 72
Kennedy, 76, 96
Kent, 337
Kettenring, 18, 281, 319, 322, 336,
 479
Kilss, 482
Kim, 63, 232, 236, 321
Kleiner, 61, 201, 204, 218, 343, 387,
 490
Koenker, 180, 232, 237, 364, 498
Kohn, 410
Koltchinskii, 359
Konis, 336
Kotz, 72, 81, 88, 96, 110, 113, 337,
 402
Kowalski, 307
Kuh, viii, 218
Kutner, 11

L-estimator, 52, 63
Lütkepohl, x
Lambert, 460
Land, 240
Landwehr, 459
Laplace distribution, 76
largest extreme value distribution,
 36, 84
Larocque, 61
LATA, 252
LATx, 232, 301
Lawless, 408, 460
Lax, 63, 126
Le, 459
least absolute deviations, 132
least median of squares, 227

- least quantile of differences, 239
least quantile of squares, 227
least squares, 132
least trimmed sum of absolute deviations, 228
least trimmed sum of squares, 228
Ledolter, 436
Lee, viii, x, 307, 398, 399, 410, 497
Leemis, 96
Lehmann, 29, 96, 113, 121, 255
Lemeshow, 426, 430, 459
Leonte, 408
Leroy, vii, 4, 17, 203, 233, 261, 279, 282, 283, 291, 297, 299, 313, 338, 496
leverage, 202
Lewis, viii, 17
Li, ix, 18, 181, 345, 359, 364, 368, 392, 397, 399, 406, 408, 409, 480
Lin, 221
Lindsey, 459
linearly related predictors, 366, 409
Little, 454, 497
Liu, 345, 407, 410
LMS, 227, 251, 260
location family, 30
location model, 5, 24
location-scale family, 30, 113
Lockart, 460
log rule, 384
log–Cauchy distribution, 86, 101
log–logistic distribution, 86, 102
log–Weibull distribution, 84
log–Weibull distribution, 93
logistic distribution, 85
logistic regression, xiii, 2, 425
loglinear Poisson regression, 437
loglinear regression, xiii
lognormal distribution, 87
Longitudinal data analysis, 358
Lopuhaä, 317, 321, 333
low median, 26
lowess, 369
LQD, 239
LR, 425
LTA, 228, 236, 240, 251, 252, 260
LTS, 228, 236, 251, 260
Luo, 410
M, 483
 $M\phi$ ller, 360
M-estimator, xvi, 53, 62, 498
Mašiček, 232, 236, 269
mad, 26, 27, 36, 56
Maddela, viii
Maguluri, 301
Mahalanobis distance, 202, 303, 308, 312, 313, 343, 350, 373
Mallows, 15, 144, 148, 181, 244, 386
Manzotti, 359
Marazzi, viii, 81
Mardia, 337
Maronna, viii, 232, 247, 333, 336
Martin, viii, 336
Masking, 208
masking, 214
Mason, 63
Mathsoft, 483
matrix norm, 253
maximum likelihood, 77
Maxwell–Boltzmann distribution, 88, 102
Mayo, 281
MB estimator, 319

- MBA estimator, 320
McCullagh, 459
McCulloch, 181, 345
MCD, 316
McKean, viii, 52, 61–63, 244, 248
McLaughlin, 63, 479
McQuestion, 96
Meade, 180
mean, 26
median, 26, 27, 29, 36, 61, 115
median absolute deviation, 27, 115
Meeker, 96
Mehrotra, 336
Menard, 459
Mendenhall, x
method of moments, 34
metrically trimmed mean, 43
mgf, 71
midrange, 132
minimum chi-square estimator, 443
minimum covariance determinant, 316
minimum volume ellipsoid, 337
missing values, 497
mixture distribution, 49, 104
MLD, vii
MLE, 119
MLR, vii, 14, 132
model, 1
model checking plot, 205, 212
Moler, 180
moment generating function, 71
monotonicity, 378
Montgomery, 338, 444, 459, 474
Moore, 42
Moran, 221
Morgenthaler, viii, 301, 460
Mosteller, viii, 63, 133, 134
Mudholkar, 480
Muirhead, 337
multi-index model, 211, 218
multiple linear regression, 2, 9, 131, 143, 227, 364
multivariate location and dispersion, 1, 10, 298, 303, 317
multivariate normal, x, 10, 303, 304, 308, 337, 343, 345, 351
Multivariate regression, 358
multivariate t distribution, 402
Mushkudiani, 182, 498
MVN, 303, 322
Myers, 444, 459, 474
Nachtsheim, 11, 18, 350, 359, 372, 383, 408, 480
Naik, 218, 408
Naranjo, 248
Nelder, 459
Neter, 11
Newton's method, 53
Ng, 337
Ni, 407, 410, 480
Niinimaa, 236
Nolan, 181
nonlinear regression, 211
nonparametric regression, 211
Nordberg, 408, 460
norm, 253
normal distribution, 40, 88
Nott, 408
Ohtaki, 407
Oja, 236
Olive, x, xv, xvi, 18, 61–63, 73, 96, 97, 126, 134, 140, 143, 162, 180, 182, 218, 219, 231, 233,

- 237, 240, 242, 247, 260, 280, 317, 318, 321, 336, 338, 359, 372, 384, 395, 408, 410, 459, 460, 480, 492, 495, 498, 500
Oliviera, 358
OLS, 3, 133, 395, 407
OLS view, 16, 372
one sided stable distribution, 102
Oosterhoff, 237
order statistics, 26
outliers, 3, 4, 9, 26, 284
overdispersion, 432
Owen, 74, 75, 77, 78, 96

p-value, 42
Pérez, 359
Pardoe, 459
Parelius, 345
Pareto distribution, 90
partial residual plots, 410
partitioning, 281, 288, 289, 318, 336
Parzen, 63
Patel, 74, 75, 77, 78, 96, 182
pdf, 29, 74
Peña, 338
Peacock, 96
Pearson, 73
percentile, 30
perfect classification paradigm, 5, 284
permutation invariant, 292
permutation tests, 494
Pewsey, 84
PHD, 407, 409
PI, 12
Picek, viii
Pierce, 459
Pison, 358

pmf, 29, 72
Poisson distribution, 91
Poisson regression, 437, 459
Pollard, 232, 236
Polzehl, 218, 407
Poor, x
population correlation, 306
population mean, 304
population median, 29, 56
population median absolute deviation, 29
Porat, x
Portnoy, 28, 180, 234, 248, 263, 270, 281
Pourahmadi, 221
power distribution, 91, 103
power transformation, 133
Powers, 459
Pratt, 75, 234, 245, 266, 321, 355
Pregibon, 459
Prentice, 102
Prescott, 63, 126
Preston, 182
Prieto, 338
principal component regression, 493
Principal components, 358
principal components, 491, 493
principal Hessian directions, 409
probability density function, 74
probability mass function, 72
projection pursuit, 410
proportional hazards model, 364

quality control, 498
quantile function, 49, 63
Quiroz, 359

R, 16, 482

- r, 496
R-estimators, 52
Randles, 61
randomly trimmed mean, 43
Rao, viii
Rayleigh distribution, 92, 100
RCMVE, 330
regression, 1
regression equivariance, 291
regression equivariant, 291
regression function, 160
regression graphics, vi, ix, 4, 409
regression quantiles, 498
residual plot, 205
residuals, 3, 365
resistant binary regression, 460
resistant estimator, 444
response plot, 4, 14, 144, 205, 288,
 366, 386, 423
response transformation model, 14,
 211, 364
response transformations, 14, 133,
 134, 409
response variable, 3
Rey, viii, 28
RFCH, 330
Riani, viii, 250, 427
Rieder, viii
Ripley, ix, 18, 483
RLTA, 252
RMBA, 330
Roberts, 180
robust confidence interval, 47, 63
robust point estimators, 34
robust statistics, 3
Rocke, 281, 289, 316, 333, 336, 337
Roeder, 460
Rogers, 63, 126
Rohatgi, 307
Ronchetti, vii, 4, 5, 17, 28, 61, 181,
 263, 301, 460
Rouncefield, 164, 224
Rousseeuw, vii, xv, xvi, 4, 5, 17,
 18, 28, 61, 63, 79, 203, 218,
 228, 229, 233, 236, 239, 247,
 260, 261, 279, 280, 283, 288,
 291, 297, 301, 311, 313, 317,
 321, 337, 343, 345, 358, 359,
 435, 460, 479, 496
rpack, xiii, 482
RR plot, 6, 9, 144, 206, 246
Rubin, 35, 80, 91, 281, 482, 497
Rubinfeld, 16, 392
Ruffieux, 81
Ruppert, 238, 244, 248, 260, 263,
 281, 282, 289, 338, 479
sample mean, 5
Santer, 460
SAS, 477
Satoh, 407
SAVE, 407, 409
scale equivariant, 291
scale family, 30
scaled Winsorized variance, 45, 50
scatterplot, 177
scatterplot matrix, 6, 141, 177
Schaaffhausen, 223, 342, 435
Schafer, 459, 460
Scheaffer, x
Schervish, x, 96
Schrader, 61, 62
Schweder, 218, 371, 410
scree plots, 491
SE, 5
Seber, viii, x, 307, 398, 399

- semiparametric, 211
semiparametric regression, 409
Sen, viii, 63, 64
sequential procedures, 498
Serfling, 48, 52, 55
Shao, 148
Sheather, viii, 4, 17, 62, 65, 113,
 218, 248
Shenton, 76, 81, 97
Sherman, 407
Shevlyakov, viii
Sheynin, 63
Shi, 407, 410
Shoemaker, 459
Shorack, 50, 51, 63, 232
shorth, 182
Siegel, 18, 280, 479
Simonoff, 17, 63, 218, 338, 432, 459
Simons, 337
Simpson, 244, 248, 282, 338, 358
simulation, 117
Singh, 301, 345
Singhai, 408, 460
single index model, 2, 211, 218, 364,
 371
SIR, 395, 407, 409
Sitter, 482
sliced average variance estimation,
 409
sliced inverse regression, 395, 409
smallest extreme value distribution,
 84, 93, 426
Smith, 208, 482
smoothing spline ANOVA, 410
Snell, 365, 410
Sofroniou, 459
Solomon, 182
Sommer, 181
spectral norm, 253
spherical, 308
Spinelli, 460
spline models, 410
Splus, 16, 18
Spokoiny, 218, 407
Srivastava, 480
SSP, 366
Stahel, vii, 4, 5, 17, 28, 61, 301
standard deviation, 27
standard error, 5, 113
Stanescu, 113
start, 260
STATLIB, 12, 471, 481
Staudte, viii, 4, 17, 62, 65, 113,
 181, 263
Stefanski, 301, 498
Steiger, 180
Stephens, 460
Stewart, 180
Stigler, 17, 50, 63, 64, 126, 127,
 479, 491
Stine, 98
Stoker, 218, 364, 372, 406, 480
Stork, x
Street, 244
Stromberg, 240
structural dimension, 409
Student's *t* distribution, 93
Stuetzle, 217
Su, 459
submodel, 143, 456
sufficient predictor, 143
sufficient summary plot, 366
survival models, 364
Swamping, 208
swamping, 214
symmetrically trimmed mean, 37

- Tableman, 232, 236, 238
Talwar, 281
Tang, 459
Terrell, 459
Thode, viii, 359
Thom's estimator, 81
Tian, 182
Tibshirani, 181, 408, 410
Tierney, 181
time series, 211, 497
Tong, 221, 359, 406, 480
Topp–Leone distribution, 102
transformation, 3
transformation plot, 134
Tremearne, 158
Trevedi, 460
trimmed mean, 43, 115, 126
trimmed view, 375
Trivedi, 459
truncated Cauchy, 112
truncated double exponential, 109
truncated exponential, 107
truncated extreme value distribution, 94
truncated normal, 109
truncated random variable, 48, 106
Tsai, 181, 218, 408, 410
Tsiatis, 459
Tukey, viii, 6, 61, 63, 126, 133, 134, 201, 204, 218, 343, 384, 387, 479, 491
Tutz, 459, 473
TV estimator, 355, 359
two sample procedures, 41
two stage trimmed means, 113
uniform distribution, 95
unit rule, 383
Višek, 232, 236, 260
Van Aelst, 311, 322, 358
Van Driessen, xv, xvi, 18, 260, 281, 288, 317, 321, 337, 338, 343, 345, 358, 480
Van Loan, x, 180, 252, 254
van Zomeren, 218, 338, 359
Vanden Branden, 358
Varga, 337
variable selection, 14, 143, 384, 408, 455
variance, 26, 27
vector norm, 252
Velilla, 140, 218, 350, 383
Velleman, 218
Venables, ix, 18, 483
Ventura, 182
Vilchevski, viii
Vining, 444, 459, 474
von Frese, 360
VV plot, 386
Wackerly, x
Wand, 410
Wang, xv, 135, 181, 248, 336, 338, 358, 410, 499, 500
Wasserman, 11
Wei, 182, 459
Weibull, 36
Weibull distribution, 96, 101
weighted least squares, 358
Weiner, 63
Weisberg, viii–x, 18, 20, 135, 151, 177, 181, 191, 202–205, 212, 217, 218, 225, 281, 337, 363, 365, 366, 372, 373, 375, 383, 384, 387, 390, 406, 408, 441, 454, 459, 460, 464, 466, 480,

- 482, 489, 498
Welch, 42
Welch intervals, 42
Wellner, 50, 51, 63, 232
Welsch, viii, 218
Welsh, 63, 218, 232, 244, 263, 407
White, x, 324
Whitten, 92, 96
Wichern, x, 305, 316, 337
Wilcox, viii, 63
Wilcoxon rank estimator, 244, 368
Wilks, 18, 483
Willems, 358
Willemsen, 33
Wilson, 148, 181, 385
Wilson–Hilferty approximation, 76,
 81
Winkelmann, 433, 442, 459, 460
Winsor’s principle, 373
Winsorized mean, 43, 63
Winsorized random variable, 49, 106
Wishart distribution, 264
Wisnowski, 338
Wood, 148, 387
Woodruff, 281, 289, 316, 333, 336,
 337
Wu, 181, 459
Xia, 359, 406, 480
Xie, 459
Yeo, 181, 384, 498
Yin, 407, 410
Yohai, viii, 232, 247
Yuan, 491
Yuen, 42
Zamar, 333, 336
Zha, 407
Zheng, 219
Zhu, 345, 358, 359, 406, 407, 480